



Part Number : 1300840123

Product Description : Woodhead POW-R-MITE Heavy Duty Cable Reel with Retraction Weight of 4lbs., 14/12 SOW, 6.10m (20.0') Cord Length with Flying Leads

Series Number : 130084

Status : Active

Product Category : Electrical Reels

Engineering Number : 92512AN



Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------|------------------|
| Status | Active |
| Category | Electrical Reels |

| | |
|--------------------|---|
| Series | 130084 |
| Description | Woodhead POW-R-MITE Heavy Duty Cable Reel with Retraction Weight of 4lbs., 14/12 SOW, 6.10m (20.0') Cord Length with Flying Leads |
| Comments | Applications: Vertical Lift, Drag, Recovery and Horizontal Stretch with 10% Sag. |
| Enclosure Rating | NEMA 3 |
| NEMA Configuration | N/A |
| Product Name | POW-R-MITE |
| Type | Cable Reel |
| UPC | 78678827467 |

Agency

| | |
|-----|---------|
| CSA | LR29921 |
|-----|---------|

Electrical

| | |
|-------------------------------|------|
| Current - Maximum per Contact | 7.0A |
| GFCI | No |
| Lamp Wattage - Maximum | N/A |
| On/Off Switch | N/A |
| Voltage - Maximum | 600V |

Physical

| | |
|----------------|----------------|
| Bulb Included | N/A |
| Cable Length | N/A |
| Cable Movement | Ratchet Lock |
| Cord Length | 6.10m (20.0') |
| Cord Type | 14/12 SOW |
| Depth | 0.48m (19.00") |
| Drum Lock | Ratchet |
| Duty | Heavy |
| Guide Arm | 4 - Postion |
| Height | 0.52m (20.50") |
| Lamp Type | N/A |

| | |
|--------------------------|--------------------|
| Material - Coating | Powder Coating |
| Material - Housing | Steel |
| Mounting Style | Rigid |
| Number of Conductors | 12 |
| Packaging Type | Carton |
| Primary Cord/Cable Entry | 1" NPT |
| Retraction Weight | 1.8kg (4.0 lb) |
| Width | 478.54mm (18.840") |
| Wire Size (AWG) | 14 |

This document was generated on Feb 13, 2025