

Product description	<b>Protection cap for male panel mount connector</b>
Order number	<b>08 2676 000 000</b>

## Illustration



## Technical data

Degree of protection	IP67
----------------------	------

## Matching products

- 09 0381 81 08 - Male panel mount connector, fixing thread, M12 x 0.5
- 09 0431 16 04 - Square Male panel mount connector, adjustable, Optimal contact plating, IP 40, with seal IP 67 (see accessories)
- 09 0431 212 04 - Male panel mount connector with metal threaded sheath
- 09 0431 397 04 - Male panel mount connector, metric fixing thread, adjustable
- 09 0431 81 04 - Male panel mount connector, fixing thread, M12 x 0.5
- 09 0433 16 05 - Square Male panel mount connector, adjustable, Optimal contact plating, IP 40, with seal IP 67 (see accessories)
- 09 0433 81 05 - Male panel mount connector, fixing thread, M12 x 0.5
- 09 0435 87 04 - Male panel mount connector, fixing thread, PG 11
- 09 0437 87 05 - Male panel mount connector, fixing thread, PG 11
- 09 0439 397 04 - Male panel mount connector, metric fixing thread, adjustable
- 70 3441 287 05 - Male panel mount connector, PG 9, screwed from front, with shielded PUR cable
- 70 3441 785 05 - Male panel mount connector M 16, with shielded PUR cable
- 70 3481 287 08 - Male panel mount connector, PG 9, screwed from front, with shielded PUR cable
- 70 3481 785 08 - Male panel mount connector M 16, with shielded PUR cable
- 70 3733 705 04 - Male panel mount connector M16, with PROFINET cable, shielded
- 70 3733 706 04 - Male panel mount connector, PG 9, screwed from front, with PROFINET cable, shielded
- 70 4433 246 04 - Male panel mount connector M16, with PROFIBUS cable, shielded
- 76 0131 0011 00004-0200 - Male panel mount connector with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel, M16 x 1.5 VA
- 76 0131 0011 00005-0200 - Male panel mount connector with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel, M16 x 1.5 VA
- 76 0231 0011 00008-0200 - Male panel mount connector with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel, M16 x 1.5 VA
- 76 0331 0111 00004-0200 - Male panel mount connector with single wires 0.25 mm<sup>2</sup>, metal housing with fixing thread M20 x 1.5 and PG 13.5
- 76 0331 0111 00005-0200 - Male panel mount connector with single wires 0.25 mm<sup>2</sup>, metal housing with fixing thread M20 x 1.5 and PG 13.5
- 76 0331 0111 00008-0200 - Male panel mount connector with single wires 0.25 mm<sup>2</sup>, metal housing with fixing thread M20 x 1.5 and PG 13.5
- 76 0331 0111 00012-0200 - Male panel mount connector with single wires 0.25 mm<sup>2</sup>, metal housing with fixing thread M20 x 1.5 and PG 13.5
- 76 0431 0111 00004-0200 - Male panel mount connector with single wires 0.25 mm<sup>2</sup>, metal housing with fixing thread M20 x 1.5 and PG 13.5
- 76 0431 0111 00005-0200 - Male panel mount connector with single wires 0.25 mm<sup>2</sup>, metal housing with fixing thread M20 x 1.5 and PG 13.5
- 76 0531 1011 00004-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0531 1011 00005-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0533 1011 00104-0200 - Male panel mount connector, screwed from front, with single wires 0.25 mm<sup>2</sup>
- 76 0533 1011 00105-0200 - Male panel mount connector, screwed from front, with single wires 0.25 mm<sup>2</sup>
- 76 0631 1011 00004-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0631 1011 00005-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0631 1011 00008-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0631 1111 00012-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel

Product description **Protection cap for male panel mount connector**

Order number **08 2676 000 000**

- 76 0731 0011 00004-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0731 0011 00005-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0831 0011 00004-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0831 0011 00005-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0831 0011 00008-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0831 0111 00012-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 0931 0111 00004-0200 - Male socket, Degree of protec. Without sealing IP 40, with sealing IP 67 (see accessories)
- 76 0931 0111 00005-0200 - Male socket, Degree of protec. Without sealing IP 40, with sealing IP 67 (see accessories)
- 76 2131 0111 00004-0200 - Male panel mount connector with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel, M16 x 1.5 VA
- 76 2131 0111 00005-0200 - Male panel mount connector with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel, M16 x 1.5 VA
- 76 2231 0111 00004-0200 - Male panel mount connector with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel, M16 x 1.5 VA
- 76 2231 0111 00005-0200 - Male panel mount connector with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel, M16 x 1.5 VA
- 76 2531 1111 00005-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 2531 1111 00008-0200 - Male panel mount connector with single wires, screwed from front, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 2731 0111 00004-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 2731 0111 00008-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 2831 0111 00004-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 2831 0111 00005-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 76 2831 0111 00008-0200 - Male panel mount connector, adjustable, with single wires, 0.25 mm<sup>2</sup>, PG 9, M16 x 1.5, PG 9 stainless steel
- 86 0131 0000 00004 - Male panel mount connector, dip-solder
- 86 0131 0000 00005 - Male panel mount connector, dip-solder
- 86 0131 0000 00008 - Male panel mount connector, dip-solder
- 86 0131 0000 00012 - Male panel mount connector, dip-solder
- 86 0131 0002 00004 - Male panel mount connector, solder, metal, PG 9, M16 x 1.5
- 86 0131 0002 00005 - Male panel mount connector, solder, metal, PG 9, M16 x 1.5
- 86 0131 0002 00008 - Male panel mount connector, solder, metal, PG 9, M16 x 1.5
- 86 0231 0000 00004 - Male panel mount connector, dip-solder
- 86 0231 0000 00005 - Male panel mount connector, dip-solder
- 86 0231 0000 00008 - Male panel mount connector, dip-solder
- 86 0231 0000 00012 - Male panel mount connector, dip-solder
- 86 0231 0002 00004 - Male panel mount connector, solder, metal, PG 9, M16 x 1.5
- 86 0231 0002 00005 - Male panel mount connector, solder, metal, PG 9, M16 x 1.5
- 86 0231 0002 00008 - Male panel mount connector, solder, metal, PG 9, M16 x 1.5
- 86 0531 1000 00004 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 0531 1000 00005 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 0531 1000 00008 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 0531 1002 00004 - Male panel mount connector, front fastened, solder, metal housing
- 86 0531 1002 00005 - Male panel mount connector, front fastened, solder, metal housing
- 86 0531 1002 00008 - Male panel mount connector, front fastened, solder, metal housing
- 86 0531 1100 00012 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 0531 1120 00004 - Male panel mount connector, screwed from front, with shielding sheet, dip-soldered, PG 9
- 86 0531 1120 00005 - Male panel mount connector, screwed from front, with shielding sheet, dip-soldered, PG 9
- 86 0531 1120 00008 - Male panel mount connector, screwed from front, with shielding sheet, dip-soldered, PG 9
- 86 0531 1120 00012 - Male panel mount connector, screwed from front, with shielding sheet, dip-soldered, PG 9
- 86 0631 1000 00004 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 0631 1000 00005 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 0631 1000 00008 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 0631 1002 00004 - Male panel mount connector, front fastened, solder, metal housing
- 86 0631 1002 00005 - Male panel mount connector, front fastened, solder, metal housing
- 86 0631 1002 00008 - Male panel mount connector, front fastened, solder, metal housing
- 86 0631 1100 00012 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 1031 1100 00004 - Male panel mount connector, screwed from front, dip-soldered, M12 x 1, 10.5 mm contact length
- 86 1031 1100 00005 - Male panel mount connector, screwed from front, dip-soldered, M12 x 1, 10.5 mm contact length
- 86 1031 1100 00008 - Male panel mount connector, screwed from front, dip-soldered, M12 x 1, 10.5 mm contact length
- 86 1031 1100 00012 - Male panel mount connector, screwed from front, dip-soldered, M12 x 1, 10.5 mm contact length
- 86 2531 1100 00005 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 2531 1100 00008 - Male panel mount connector, screwed from front, dip-soldered, PG 9
- 86 4231 1002 00004 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4231 1002 00005 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4231 1002 00008 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4233 1002 00004 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4331 1002 00004 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4331 1002 00005 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4331 1002 00008 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4333 1002 00004 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4333 1002 00005 - Male panel mount connector, fixing thread, PG 9, M16 x 1.5
- 86 4531 1002 00004 - Male panel mount connector, fixing thread, PG 13.5, M20 x 1.5
- 86 4531 1002 00005 - Male panel mount connector, fixing thread, PG 13.5, M20 x 1.5
- 86 4631 1002 00004 - Male panel mount connector, fixing thread, PG 13.5, M20 x 1.5

Product description                      **Protection cap for male panel mount connector**

Order number                              **08 2676 000 000**

86 4631 1002 00005 - Male panel mount connector, fixing thread, PG 13.5, M20 x 1.5  
99 3431 200 04 - Integrated plug for PCB mounting, straight, UL approval  
99 3431 202 04 - Integrated plug for PCB mounting, angled, UL approval  
99 3431 458 04 - Integrated plug for PCB mounting, straight, UL approval  
99 3431 601 04 - Integrated plug for PCB mounting, angled, UL approval  
99 3433 100 04 - Male socket, Degree of protec. Without sealing IP 40, with sealing IP 67 (see accessories)  
99 3441 200 05 - Integrated plug for PCB mounting, straight, UL approval  
99 3441 202 05 - Integrated plug for PCB mounting, angled, UL approval  
99 3441 458 05 - Integrated plug for PCB mounting, straight, UL approval  
99 3441 601 05 - Integrated plug for PCB mounting, angled, UL approval  
99 3443 100 05 - Male socket, Degree of protec. Without sealing IP 40, with sealing IP 67 (see accessories)  
99 3481 200 08 - Integrated plug for PCB mounting, straight, UL approval  
99 3481 202 08 - Integrated plug for PCB mounting, angled, UL approval  
99 3481 458 08 - Integrated plug for PCB mounting, straight, UL approval  
99 3481 601 08 - Integrated plug for PCB mounting, angled, UL approval  
99 3731 200 04 - Integrated plug for PCB mounting, straight, UL approval  
99 3731 201 04 - Integrated plug for PCB mounting, straight, UL approval  
99 3731 202 04 - Integrated plug for PCB mounting, angled, UL approval  
99 3731 203 04 - Integrated plug for PCB mounting, angled, UL approval  
99 4445 200 05 - Integrated plug for PCB mounting, straight, UL approval  
99 4445 202 05 - Integrated plug for PCB mounting, angled, UL approval  
99 4445 458 05 - Integrated plug for PCB mounting, straight, UL approval  
99 4445 601 05 - Integrated plug for PCB mounting, angled, UL approval