

1-1478923-0 ✓ ACTIVE



## AMP SMA

TE Internal #: 1-1478923-0

RF Plugs & Jacks, SMA RF Interface, Plug, 50 Ω, RG 141A / KX 15 / RG 58C, Threaded, 26 GHz Operating Frequency, Cable-to-Cable, 1 Position, AMP SMA

[View on TE.com >](#)

Connectors > RF Connectors > RF Plugs & Jacks



RF Interface: **SMA**

RF Connector Style: **Plug**

RF Connector Mated Outer Diameter (Approximate): **6.35 mm [ .25 in ]**

Impedance: **50 Ω**

Compatible With RF Cable Type: **KX 15, RG 141A, RG 58C, URM 43, URM 76**

## Features

### Product Type Features

Connector Product Type	Connector Assembly
Connector Seal Type	Gasket
RF Interface	SMA
RF Connector Style	Plug
Compatible With RF Cable Type	KX 15, RG 141A, RG 58C, URM 43, URM 76
Connector System	Cable-to-Cable
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable

### Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

### Electrical Characteristics

Impedance	50 Ω
-----------	------

### Body Features



Cable Connector Orientation	Right Angle
Body Material	Stainless Steel
Body Material Finish	Plated
Body Plating Material	Gold

#### Contact Features

RF Connector Center Contact Underplating Material	Copper
RF Connector Contact Configuration	Not Captivated
Ferrule Plating Material	Gold
Crimp Type	Hex
Ferrule Material	Brass
RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Brass

#### Termination Features

Termination Method to Wire & Cable	Solder & Clamp
------------------------------------	----------------

#### Mechanical Attachment

RF Connector Coupling Mechanism	Threaded
Connector Mounting Type	Panel Mount
RF Contact Captivation Method	Solder
Detent	Without

#### Dimensions

Product Length	14.65 mm[.577 in]
RF Connector Mated Outer Diameter (Approximate)	6.35 mm[.25 in]

#### Usage Conditions

Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]
-----------------------------	----------------------------

#### Operation/Application

Operating Frequency	26 GHz
---------------------	--------

#### Packaging Features

Packaging Quantity	100
Packaging Method	Bag

#### Other

Coupling Nut Plating Material	Gold
-------------------------------	------



Coupling Nut Base Material	Stainless Steel
----------------------------	-----------------

Grade	Professional
-------	--------------

Dielectric Material	PTFE
---------------------	------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC	Compliant with Exemptions
-----------------------------	---------------------------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JUNE 2022 (224)</p> <p>Candidate List Declared Against: JUNE 2022 (224)</p> <p>SVHC &gt; Threshold:</p> <p>Pb (.35% in Component Part)</p>
--	--

**Article Safe Usage Statements:**

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
-----------------	--

Solder Process Capability	Not applicable for solder process capability
---------------------------	--







### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



## Also in the Series | AMP SMA





RF Plugs & Jacks(297)



RF Terminators(1)

## Customers Also Bought




TE Part #3-1415055-1  
SR4D4024



TE Part #8-1415537-0  
SR6B6K24



TE Part #1-1462038-6  
IM06NS=IM RELAY 140mW 12V



TE Part #63951-1  
250 FASTON TAB TPBR




TE Part #1623232-1  
CRG0805 1% 470R



TE Part #CV3305-000  
RW-175-3/8-X-STK



TE Part #794953-2  
2P PM PLUG VAL-U-LOK V2



TE Part #9727873001  
99M0111-20-2L



TE Part #5885930023  
TRSA-1019/E/1/3

## Documents

### Product Drawings

SMA R/A PLG S/CRMP RG58 GSS

English

### CAD Files

3D PDF

3D

### Customer View Model

ENG\_CVM\_CVM\_1-1478923-0\_A.2d\_dxf.zip



English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1478923-0\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1478923-0\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

## Product Specifications

[Product Specification](#)

English