


**Product Details for 1 -316739 -4**



**1 -316739 -4**

[Active](#)

**.4mm, .5mm, .6mm, .8mm, 1mm, Fine Pitch, Surface Mount, Stacking Bd - to - Bd Connectors**

[RoHS Compliant \(Statement of Compliance\)](#)

**Product Highlights:**

- ? Receptacle
- ? Family Name = Fine Mate
- ? .80 mm Centerline
- ? Number of Positions = 14
- ? In -Line Contact Layout

[View all Features](#)

**Quick Links**

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

**Documentation & Additional Information**

**Product Drawings:**

- ? [ON TAPING \(EMBOSS\) CAP ASSEMBLY \(H -TYPE\) 0.8mm PITCH...](#) (PDF, English)

**Catalog Pages/Data Sheets:**

- ? None Available

**Product Specifications:**

- ? None Available

**Application Specifications:**

- ? None Available

**Instruction Sheets:**

- ? None Available

**CAD Files:**

- ? None Available

**Additional Information:**

- ? [Product Line Information](#)

**Related Products:**

- ? [Tooling](#)

[List all Documents](#)

**Product Features** (Please use the Product Drawing for all design activity)

**Product Type Features:**

- ? [Product Type](#) = Receptacle
- ? [Number of Positions](#) = 14
- ? PCB Mount Angle = Right Angle
- ? [Keyed](#) = No
- ? Comment = H -Type

**Body Related Features:**

- ? [Centerline \(mm \[in\]\)](#) = 0.80 [0.031]
- ? [Board -to -Board Stack Height \(mm \[in\]\)](#) = 4.00 [0.157]
- ? [Locating Posts](#) = Without
- ? Number of Rows = Dual

**Contact Related Features:**

- ? Family Name = Fine Mate
- ? [Contact Layout](#) = In -Line
- ? Contact Material = Copper Alloy
- ? [Contact Mating Area Plating](#) = AMP -DURAGOLD over Nickel
- ? Contact Termination Area Plating = Gold over Nickel

**Housing Related Features:**

- ? Housing Color = White
- ? Housing Material = Nylon 6T
- ? Housing Material Temperature = High

**Industry Standards:**

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Reflow solder capable to 245°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

**Packaging Related Features:**

- ? [Packaging Method](#) = Tape & Reel

**Other:**

- ? Brand = AMP