



Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Caps



Wall Type: **Dual Wall**

Material Code: **3**

Material Systems Code: **10**

Adhesive Requirement: **Adhesive Precoat**

Operating Temperature Range: **-55 – 135 °C [-67 – 275 °F]**

## Features

### Product Type Features

Wall Type	Dual Wall
-----------	-----------

### Configuration Features

Adhesive Requirement	Adhesive Precoat
----------------------	------------------

### Body Features

Sealant Type	Anti-Flux
Lining Type	Adhesive
Shrink Ratio	2:1
Primary Product Material	Crosslinked Polyolefin
Flexibility	Flexible
Primary Product Color	Black
Material Code	3
Material Systems Code	10

### Dimensions

Recovered Wall Thickness (Nominal)	2.29 mm[.09 in]
Recovered Inside Diameter (Max)	11.4 mm[.45 in]
Expanded Inside Diameter (Min)	25.4 mm[1 in]
Wall Thickness	Medium
Product Length	68 mm[2.7 in]

### Usage Conditions

Flammability Performance	Flame-Retardant
Resistance Protection	Suitable for occasional exposure to fluids
Resistance Properties	Immersion Protection
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]

### Other

Size Code	62
Molded Part Shape Code	101A
Adhesive Code	/42 Precoat

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Customers Also Bought



TE Part #5179031-2  
0.8FH,P08H.5,060,08/Sn,TU



TE Part #5177984-1  
0.8FH,P05H.5,040,08/Sn,TU



TE Part #2102351-2  
CeeLok FAS-T, Receptacle Kit, PCB, ZnNi



TE Part #710027-1  
XCT 35-6



TE Part #1-1571983-3  
GDH10S04=DIP SWITCH



TE Part #2102352-6  
CeeLok FAS-T, Receptacle Kit, ZnNi, B




TE Part #BTH1-19-08-1-C  
BTH1-19-08-1-C



TE Part #2217376-1  
TOOL, INSTALLING/REMOVAL



TE Part #GA10K3A542I  
DISC+/- 0.2°C 0°C 70°C



TE Part #1825219-2  
TT11AGPC104

## Documents

### Product Drawings

[101A062-3/42-0](#)

English

### Datasheets & Catalog Pages

[1654025\\_Sec4\\_-3](#)

English

[1654025\\_Sec4\\_101A011to094](#)

English

### Raychem Molded Parts Visual Guide

English

### Product Specifications

[Product Specification](#)

English