



Extract from the online catalog

ZB 5,QR:FORTL.ZAHLEN

Order No.: 1050020

The illustration shows versions ZB 5 - UNPRINTED, -LGS:CONSEC.NOS, -QR:CONSEC.NOS and -SO/CMS



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1050020>

Zack strip, 10-section, printed vertically: with consecutive numbers, 1-10, 11-20 a.s.o. up to 991-1000, color: white

Commercial data	
sales group	B101
Pack	10 pcs.
Customs tariff	39269097
Weight/Piece	0.0012 KG
Catalog page information	Page 487 (CL-2009)

Product notes

WEEE/RoHS-compliant since: 01/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General	
Width (a)	5 mm
Color	white
Inflammability class acc. to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
	DIN VDE 0611
Ambient temperature (operation)	-40 °C ... 100 °C

ZB 5,QR:FORTL.ZAHLEN Order No.: 1050020
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1050020>

Components	free from silicone and halogen
Pitch	5.2 mm
Material	PA
Pitch	5.2 mm

onlinecomponents.com

ZB 5,QR:FORTL.ZAHLEN Order No.: 1050020
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1050020>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;

onlinecomponents.com