

**THM
THM MT30X 101/74 GE**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The THM labels offer brilliant printing quality thanks to the thermal transfer technology. Different materials and the user-friendly printing system under Windows optimise every marking effort.

- High-quality polyester labels in various colours or inexpensive paper labels are available
- Labels are automatically positioned in the printer for perfectly centred prints on each label.

General ordering data

Type	THM MT30X 101/74 GE
Order No.	1061810000
Version	THM, Device markers, 101 x 74 mm, Yellow
GTIN (EAN)	4032248814220
Qty.	1 pc(s).
compatible printer	2430920000 2448870000

THM
THM MT30X 101/74 GE

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Width	74 mm	Width (inches)	2.913 inch
Height	101 mm	Height (inches)	3.976 inch
Depth	0.08 mm	Depth (inches)	0.003 inch
Net weight	642 g		

General data

Adhesive	Acrylate	Colour	Yellow
Material	Polyester	Number per roll	500
Operating temperature range	-40... 150 °C	Printing method	Thermotransfer
UL 94 flammability rating	V-0	Version	Self-adhesive
Width	74 mm		

Classifications

ETIM 3.0	EC001288	ETIM 4.0	EC001288
ETIM 5.0	EC001288	ETIM 6.0	EC001288
UNSPSC	55-12-16-00	eClass 5.1	27-14-91-29
eClass 6.2	27-14-91-29	eClass 7.1	27-14-91-29
eClass 8.1	27-14-91-03	eClass 9.0	27-40-06-29
eClass 9.1	27-40-06-29		

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
Software	M-Print PRO configuration file

Data sheet

**THM
THM MT30X 101/74 GE**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

