

**ClipCard
CC 30/60 K MC NE RT**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



ClipCard device markers in MultiCard format are used for labelling electrical installations and switchgear systems, and offer an interesting alternative to engraving. Thanks to the proven MultiCard format, labelling is possible with PrintJet PRO, the MCP Plus plotter, MCP Basis and MC-Mobilo.

- Highly resistant printing quality when using the PrintJet as a substitute for engraving
- Universal fixing
- Carrier (screwable or with cable ties)
- Tag rail (self-adhesive or screw fixing)
- Or self-adhesive tags

Please note that these markers are not intended for printing with the SpeedMarking laser.

General ordering data

Type	CC 30/60 K MC NE RT
Order No.	1085430000
Version	ClipCard, Device markers, 30 x 60 mm, Red
GTIN (EAN)	403224885092 1
Qty.	30 pc(s).
compatible printer	1324380000

Data sheet

ClipCard CC 30/60 K MC NE RT

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	60 mm	Width (inches)	2.362 inch
Height	30 mm	Height (inches)	1.181 inch
Depth	1.2 mm	Depth (inches)	0.047 inch
Net weight	4.767 g		

General data

Adhesive	Double-sided adhesive tape	Colour	Red
Material	Polyamide 66	Material colour according to resistance code	2
Operating temperature range	-40...60 °C	Recommended industries	Machinery
UL 94 flammability rating	V-2	Version	Self-adhesive
Width	60 mm		

Classifications

ETIM 3.0	EC001288	ETIM 4.0	EC001288
ETIM 5.0	EC001288	ETIM 6.0	EC001288
UNSPSC	30-21-18-01	eClass 5.1	27-14-91-29
eClass 6.2	27-14-91-29	eClass 7.1	27-14-91-29
eClass 8.1	27-14-91-03	eClass 9.0	27-40-06-29
eClass 9.1	27-40-06-29		

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
Software	M-Print PRO configuration file

Data sheet

**ClipCard
CC 30/60 K MC NE RT**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

