

**Industrial Ethernet  
IE-BIC-HYB-P-0,5-300**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Hybrid, 10-pole. Inserts for plug-in connectors  
ver.1 /4 /5 /14

**General ordering data**

Type	IE-BIC-HYB-P-0,5-300
Order No.	<a href="#">1096 150000</a>
Version	Crimp contact, Flange, Hybrid
GTIN (EAN)	4032248869114
Qty.	300 pc(s).

Creation date August 22, 2020 11:08:00 AM CEST

Catalogue status 14.08.2020 / We reserve the right to make technical changes.

## Industrial Ethernet IE-BIC-HYB-P-0,5-300

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Net weight 0.29 g

### Environmental Product Compliance

REACH SVHC Lead 7439-92-1

### General data

Wire connection cross section, finely stranded, max.	0.5 mm <sup>2</sup>	Wire connection cross-section, finely stranded, min.	0.2 mm <sup>2</sup>
Wire cross-section, finely stranded, max. (AWG)	AWG 20	Wire cross-section, finely stranded, min. (AWG)	AWG 24

### Electrical properties

Rated voltage 24 V

### Classifications

ETIM 6.0	EC001121	ETIM 7.0	EC001121
eClass 9.0	27-44-03-90	eClass 9.1	27-44-09-90
eClass 10.0	27-44-03-90		

### Approvals

ROHS Conform

### Downloads

Brochure/Catalogue	<a href="#">CAT 9 IETH 18/19 EN</a> <a href="#">FL FIELDWIRING EN</a> <a href="#">PI PROFINET CABLING EN</a>
User Documentation	<a href="#">MAN IE GUIDE DE</a> <a href="#">MAN IE GUIDE EN</a> <a href="#">Designation key / Type key</a>

**Industrial Ethernet  
IE-BIC-HYB-P-0,5-300**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Drawings****Dimensioned drawing**