

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [11-03-0006](#)
Status: **Active**
Description: Extraction Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General


| | |
|--------------------------------|--|
| Product Family | Application Tooling |
| Series | T0201 |
| Function | Extraction |
| Geographic Area | Global |
| Level of Automation | Manual |
| More Detailed Tech Information | applicationtooling@molex.com |
| Product Name | N/A |
| Survey | www.molex.com//review/apptool_survey.html |
| Tool Type | Handtool |
| UPC | 800753609495 |

Material Info

Old Part Number HT2038

Reference - Drawing Numbers

Application Tooling Documents
 ATS-011030006, TM-638000029, TM-638000029CN,
 TM-638000029DE, TM-638000029FR,
 TM-638000029IT, TM-638000029JP,
 TM-638000029KR, TM-638000029MY,
 TM-638000029PL, TM-638000029RU,
 TM-638000029SK, TM-638000029SP,
 TM-638000029TH, TM-638000029TW,
 TM-638000029VN



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
 Not Reviewed
Low-Halogen Status
 Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T0201Series](#)

Use With

Loose Piece Terminals

Application Tooling | FAQ
Description | Product #

| | |
|---|------------|
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag | 0002095133 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low | 0002091122 |

| | |
|---|------------|
| Engagement Force, 18-22 AWG, Reel 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low | 0002091123 |
| Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag | 0002096106 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag | 0002096110 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag | 0002098109 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel | 0002098108 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel | 0002096101 |
| Claspcn™ Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel | 0002081101 |
| Claspcn™ Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag | 0002081102 |
| 2.36mm Diameter, Standard .093" Pin | 0002091102 |

and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002091104
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002091117
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Tin (Sn) Plated Brass
Contact, 18-22 AWG,
Reel
2.36mm Diameter 0002091118
Standard .093"
Crimp Terminal,
Dimpled Female,
18-22 AWG, Bag
2.36mm Diameter, 0002091119
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Tin (Sn) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, 0002091615
Standard .093"
Pin and Socket
Crimp Terminal,
Series 42477,
Female, with Tin
(Sn) Plated Contact,
High Current/Low
Engagement Force,
14-18 AWG, Reel
2.36mm Diameter, 0002092101
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002092103
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002092116
Standard .093" Pin
and Socket Crimp
Terminal, Series

1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Reel
2.36mm Diameter, 0002092118
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, 0002092611
Standard .093" Pin
and Socket Crimp
Terminal, Series
42478, Male, with Tin
(Sn) Plated Contact,
High Current/Low
Engagement Force,
14-18 AWG, Reel
2.36mm Diameter, 0002095100
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm Diameter, 0002095102
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002095106
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag
2.36mm Diameter, 0002095111
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002095130
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Reel

| | |
|--|------------|
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag | 0002095142 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel | 0002095143 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel | 0002096100 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel | 0002096122 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag | 0002096123 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel | 0002096125 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag | 0002096126 |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated | 0002098103 |

Brass Contact, 18-22
AWG, Reel
2.36mm Diameter, 0002098104
Standard .093" Pin
and Socket Crimp
Grounding Terminal,
Series 1973, Male,
with Tin (Sn) Plated
Brass Contact, 18-22
AWG, Bag
2.36mm Diameter, 0039000281
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0039000282
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Reel, with Dimple
2.36mm Diameter, 0039000284
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Reel
2.36mm Diameter, 0039000285
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Reel, with Dimple
2.36mm Diameter, 0039000289
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0039000295
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) over
Nickel Plated Brass
Contact, 14-20 AWG,
Bag

2.36mm Diameter, 0039000296
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1190, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Reel

2.36mm Diameter, 0039000297
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1190, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Bag

2.36mm Diameter, 0039000302
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1380, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag

2.36mm Diameter, 0039000307
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag, with Dimple

2.36mm Diameter, 0039000308
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag

2.36mm Diameter, 0039000315
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Reel, with Dimple

2.36mm Diameter, 0039000316
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Bag, with Dimple

2.36mm Diameter, 0039000317
Standard .093" Pin

and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Reel
2.36mm Diameter, 0039000318
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Bag

This document was generated on 12/12/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION