



AST4500/4510

TE Internal #: 11108423-00

TE Internal Description: 5 PSI, 1/2MNPT, 4-20mA, 316L, 35ft Cable

IS Rated Submersible Transducer

[View on TE.com >](#)

Sensors > Pressure Sensors > Pressure Transducers > IS Rated Submersible Transducer



Pressure Sensor Type: **Industrial Pressure Transducer, Submersible Pressure Transducer**

Pressure: **[5 psi]**

Pressure Type: **Gauge**

Supply Voltage Range: **10 – 28 V**

Output Signal Type: **4 – 20 mA**

[All IS Rated Submersible Transducer \(33\)](#)

Features

Product Type Features

Pressure Sensor Type	Industrial Pressure Transducer, Submersible Pressure Transducer
Pressure Type	Gauge

Configuration Features

Electrical Connection	Conduit 35 ft
-----------------------	---------------

Electrical Characteristics

Supply Voltage Range	10 – 28 V
----------------------	-----------

Usage Conditions

Operating Temperature Range	-40 – 80 °C[-40 – 176 °F]
-----------------------------	---------------------------

Operation/Application

Pressure	5 psi
Output Signal Type	4 – 20 mA
Proof Pressure Range	2X, Min
Pressure Accuracy	±0.25% FSO

Other

Sensor Options	IP68 Protection
----------------	-----------------



Port Fitting

Nose Cone

Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | [AST4500/4510](#)



Customers Also Bought



Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_11108423-00_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_11108423-00_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_11108423-00_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AST4500/AST4510 Datasheet](#)

English