

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [1201080196](#)
Status: **Active**
Description: Micro-Change (M12) Double-Ended Cordset, 4 Poles, Male (Straight) to Male (Straight), 26 AWG, Shielded TPE Cable, 40.0m (131.20') Length, 6.00mm (.236") Diameter, Teal

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

| | |
|----------------------|------------------------|
| Product Family | Industrial Cordsets |
| Series | 120108 |
| Connector End A | Micro-Change (M12) |
| Connector End B | Micro-Change (M12) |
| IP Rating | IP67 |
| Material - Contact | Copper Alloy |
| Performance Category | 5e |
| Product Name | Micro-Change (M12) |
| Type | Double Ended |
| UPC | 78172533711 |

Physical

| | |
|-------------------------------|----------------------|
| Cable Diameter | 6.00mm (.236") |
| Cable Length | 40.0m (131.20') |
| Color - Cable Jacket | Teal |
| Coupling Style | Threaded |
| Gender | Male-Male |
| Keyway | D-coded |
| LED Indicator | No |
| Material - Cable Jacket | TPE |
| Material - Connector Body | TPE |
| Material - Coupling Nut | Nickel-plated Brass |
| Material - Plating Mating | Gold |
| Net Weight | 133.330/g |
| Orientation | Straight to Straight |
| Poles | 4 |
| Temperature Range - Operating | -20°C to +75°C |
| Wire Size AWG | 26 |
| Wire/Cable Type | Shielded TPE |

Electrical

| | |
|-------------------------------|------|
| Current - Maximum per Contact | 1.5A |
| Voltage - Maximum | 125V |

Solder Process Data


| | |
|-----------------------------|-----|
| Lead-freeProcess Capability | N/A |
|-----------------------------|-----|

Material Info

| | |
|--------------------|---------------|
| Engineering Number | E11A06005M400 |
|--------------------|---------------|

Reference - Drawing Numbers

| | |
|---------------|---------------|
| Sales Drawing | SD-120108-064 |
|---------------|---------------|



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant with Exemption 6(c)

REACH SVHC

Contained Per - ED/71/2019 (16 July 2019)

Lead

Halogen-Free

Status

Not Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

50 Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[120108 Series](#)