

# Stripping tool - QUICK WIREFOX 18



1207365

<https://www.phoenixcontact.com/us/products/1207365>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Stripping pliers, for standard insulation such as PVC and PE, stripping range: 4 to 16 mm<sup>2</sup>, can cut wires up to 6 mm<sup>2</sup> stranded and 4 mm<sup>2</sup> solid

## Commercial Data

Item number	1207365
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	B14
Product Key	BH3121
GTIN	4017918194116
Weight per Piece (including packing)	231.8 g
Weight per Piece (excluding packing)	231.8 g
Customs tariff number	82032000
Country of origin	GB

# Stripping tool - QUICK WIREFOX 18

1207365

<https://www.phoenixcontact.com/us/products/1207365>



## Technical Data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Product type

Stripping tool

### Connection data

#### Conductor connection

Cross section range, metric

4 mm<sup>2</sup> ... 16 mm<sup>2</sup>

### Dimensions

Length

205 mm

### Cable / line

External cable diameter

> 0.5 mm ... 4.2 mm

# Stripping tool - QUICK WIREFOX 18

1207365

<https://www.phoenixcontact.com/us/products/1207365>



## Approvals



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# Stripping tool - QUICK WIREFOX 18



1207365

<https://www.phoenixcontact.com/us/products/1207365>

## Classifications

### ECLASS

ECLASS-9.0	21043706
ECLASS-10.0.1	21043706
ECLASS-11.0	21043706

### ETIM

ETIM 8.0	EC002109
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)