



AMP | AMP Type II

TE Internal #: 132313-1

Pin Contact, Gold, Snap-In Contact Retention, Size 16 Contact Size,  
18 – 16 AWG Wire Size, .6 – 1.5 mm<sup>2</sup> Wire Size, Crimp, Copper  
Alloy, AMP Type II

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Pin**

Contact Mating Area Plating Material: **Gold**

Wire Contact Termination Area Plating Material: **Gold**

Contact Retention Within Housing: **With**

Contact Retention Type Within Housing: **Snap-In**

**Features**

**Product Type Features**

Sealable	No
----------	----

**Contact Features**

Mating Pin Diameter	1.57 mm[.062 in]
Contact Underplating Material Thickness	.76 µm[30 µin]
Wire Contact Termination Area Plating Thickness	.76 µm[30 µin]
Wire Contact Termination Area Plating Material Finish	Bright
Contact Mating Area Plating Material Thickness	.76 µm[30 µin]
Contact Mating Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Type	Pin
Contact Mating Area Plating Material	Gold
Wire Contact Termination Area Plating Material	Gold
Contact Retention Within Housing	With



Contact Size	Size 16
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	13 A

#### Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

#### Mechanical Attachment

Wire Insulation Support	Without
Contact Retention Type Within Housing	Snap-In

#### Dimensions

Wire Size	.6 – 1.5 mm <sup>2</sup>
-----------	--------------------------

#### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-55 – 302 °F]
-----------------------------	----------------------------

#### Operation/Application

Circuit Application	Power
---------------------	-------

#### Identification Marking

Contact Color Code	Blue
--------------------	------

#### Packaging Features

Packaging Quantity	250
Packaging Method	Box

#### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (2.5% in Component Part)
----------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------

##### Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



## Also in the Series | AMP Type II



## Customers Also Bought



TE Part #2287450-2  
MULTILOCK, CONNECTOR HOUSING




TE Part #1-1414476-0  
V23132A2001X023




TE Part #969207-2  
FLA-STE-KONT2,8X0,8




TE Part #1-1414632-0  
V23132B2002X025




TE Part #1417028-1  
WABCO HPB COVER



TE Part #1564953-1  
LEADFRAME,MOLDED,TCS2 BASIC,  
ASSY



TE Part #1564953-3  
LEADFRAME,MOLDED,TCS2,ASSY,  
PREMIUM



TE Part #1718968-1  
ROUND NUT M28x1.5



TE Part #2066548-4

## Documents

### Product Drawings

[CONTACT PIN TYPE 2 AWG 18-16](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_132313-1\\_O.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_132313-1\\_O.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_132313-1\\_O.3d\\_igs.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

132313-1

Pin Contact, Gold, Snap-In Contact Retention, Size 16 Contact Size, 18 – 16 AWG  
Wire Size, .6 – 1.5 mm<sup>2</sup> Wire Size, Crimp, Copper Alloy, AMP Type II



## Product Specification

English