



AMP 0.64 Connector System

TE Internal #: 1326018-1

Housing for Female Terminals, Wire-to-Wire, 32 Position, .1 in [2.54 mm] Centerline, Yellow, Signal, AMP 0.64 Connector System

[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Housings



Connector & Housing Type: **Housing for Female Terminals**

Mating Tab Width: **.64 mm [.025 in]**

Connector System: **Wire-to-Wire**

Number of Positions: **32**

Centerline (Pitch): **2.54 mm [.1 in]**

Features

Product Type Features

Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	32
Number of Rows	4

Body Features

Cable Exit Angle	180°
Primary Product Color	Yellow
Connector & Keying Code	A

Contact Features

Contact Size	.64mm
Contact Type	Receptacle
Mating Tab Width	.64 mm[.025 in]

Mechanical Attachment

--	--



Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA GF
Centerline (Pitch)	2.54 mm[.1 in]

Dimensions

Connector Height	34 mm[1.34 in]
Product Width	42 mm[1.654 in]
Product Length	42 mm[1.654 in]
Row-to-Row Spacing	5.9 mm[.232 in]

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F]
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Agency/Standard	SAE/USCAR-2
UL Flammability Rating	UL 94HB

Packaging Features

Packaging Quantity	80
Packaging Method	Package

Other

Serviceable	No
Connector Position Assurance Capable	Yes

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1326017-9
0.64MM AIRBAG HEADER ASSEMBLY




TE Part # 1326028-3
0.64MM FEMALE CONTACT, AU, 18-20



TE Part # 1326028-5
.64MM FEM CONT, AU, 18-20, FORMED



TE Part # 1326028-2
0.64MM FEMALE CONTACT, AU, 22AWG



TE Part # 1326028-1
0.64MM FEMALE CONTACT, AU, 18-20



TE Part # 1326028-4
0.64MM FEMALE CONTACT, AU, 22AWG



TE Part # 1326028-6
0.64MM FEMALE CONTACT, AU, 22AWG

Also in the Series | AMP 0.64 Connector System



Automotive Connector Caps & Covers (19)



Automotive Housings(31)



Automotive Terminals(13)



Insertion & Extraction Tools(1)




Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(40)

Customers Also Bought



TE Part #776535-1
AS 16, 3P CAP ASSY, RD, KEY 1




TE Part #DT06-3S-E004
DEUTSCH DT Series Housings & Connectors



TE Part #1438618-1
40 WAY ARM PLUG, KEY H NSB



TE Part #173645-3
MULTILOCK, RECEPTACLE AND TAB



TE Part #1393365-1
V23540X7000Y20GET-FEM TERM AU



TE Part #K1159722
Battery Disconnecter 35-524-251-R



TE Part #6-683454-5
CRIMPER, INSULATION, "O"



TE Part #726346
SO RINGTONG 6-35

Documents

Product Drawings

[.64MM,32P UNSEALED PLUG ASSY,A](#)

English

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_1326018-1_J.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_1326018-1_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1326018-1_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English