

Actuator

14-
810.002



<https://eao.com/p/14-810.002>

Your product:



14-810.002 Actuator

FRONT

Front bezel material:	Plastic
Front bezel colour:	Black
Front dimension:	Ø 29 mm

MOUNTING

Design:	raised
----------------	--------

ELECTRICAL CHARACTERISTICS

Operation current:	mA
Operating voltage:	24 V DC ±10 %

MECHANICAL CHARACTERISTIC

Weight:	0.016 kg
Tightening torque:	Fixing nut max. 0.25 Nm
Terminal:	Plug-in terminal, 2.8 x 0.5 mm

ACOUSTICAL CHARACTERISTICS

Tone frequency:	Approx. 3.2 kHz continuous tone only
------------------------	--------------------------------------

AMBIENT CONDITION

Storage temperature:	- 40 °C ... + 85 °C
IP front protection:	IP65, according to DIN EN 60529

Operating temperature: - 25 °C ... + 55 °C

CERTIFICATE

Approbations: CQC, EMC

Conformities: CE, UKCA, 2011 / 65 / EC (RoHS), 2014 / 35 / EU (LVD)

OTHER

Short Description:

Actuator, Ø 29 mm, Black, Plastic, Plug-in terminal, 2.8 x 0.5 mm, IP65, according to DIN EN 60529


Buzzer system:

Piezo disc


Hints:

For PCB application use print adator

Wiring diagrams:



Mounting cut-outs:



Dimension drawings:

