

Actuator

14-
810.918



<https://eao.com/p/14-810.918>

Your product:



14-810.918 Actuator

FRONT

Front dimension:	Ø 35 mm
Front bezel colour:	Nature
Front bezel material:	Aluminium

MOUNTING

Design:	flush
----------------	-------

ELECTRICAL CHARACTERISTICS

Operating voltage:	24 V DC \pm 10 %
Operation current:	mA

MECHANICAL CHARACTERISTIC

Weight:	0.016 kg
Tightening torque:	Fixing nut max. 0.25 Nm
Terminal:	Plug-in terminal, 2.8 x 0.5 mm

ACOUSTICAL CHARACTERISTICS

Tone frequency:	Approx. 3.2 kHz continuous tone only
------------------------	--------------------------------------

AMBIENT CONDITION

Operating temperature:	- 25 °C ... + 55 °C
Storage temperature:	- 40 °C ... + 85 °C

IP front protection:

IP65, according to DIN EN 60529

CERTIFICATE

Approbations:

CQC, EMC

Conformities:

CE, UKCA, 2011 / 65 / EC (RoHS), 2014 / 35 / EU (LVD)

OTHER

Hints:

For PCB application use print adator


Short Description:

Actuator, Ø 35 mm, Nature, Aluminium, anodised, Plug-in terminal, 2.8 x 0.5 mm, IP65, according to DIN EN 60529


Buzzer system:

Piezo disc

Mounting cut-outs:



Wiring diagrams:



Dimension drawings:

