

HC-CIF-D15-AIWS-SM-NI - Adapter insert



1424340

<https://www.phoenixcontact.com/pc/products/1424340>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Adapter insert, design: D15



Product Description

HC-A10, HC-A16, HC-D15, HC-D25 mounting adapters

Commercial Data

Item number	1424340
Packing unit	1 pc
Minimum order quantity	1 pc
Product Key	BF7AHZ
Catalog Page	Page 684 (C-2-2019)
GTIN	4055626370774
Weight per Piece (including packing)	17.3 g
Weight per Piece (excluding packing)	17 g
Customs tariff number	85389099
Country of origin	CN

HC-CIF-D15-AIWS-SM-NI - Adapter insert



1424340

<https://www.phoenixcontact.com/pc/products/1424340>

Technical Data

Notes

General	Protection against electric shock must be ensured by the user. The continuity of the PE connection must be verified and satisfied by the user. The PE connection must be implemented equilaterally.
---------	---

Product properties

Product type	Adapter
Application	Adapter for contact inserts

Material specifications

Material	Steel, galvanized
----------	-------------------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

HC-CIF-D15-AIWS-SM-NI - Adapter insert




1424340

<https://www.phoenixcontact.com/pc/products/1424340>

Drawings

Dimensional drawing



Dimensional drawing

HC-CIF-D15-AIWS-SM-NI - Adapter insert



1424340

<https://www.phoenixcontact.com/pc/products/1424340>

Classifications

ECLASS

ECLASS-9.0	27440192
ECLASS-10.0.1	27440192
ECLASS-11.0	27440192
ECLASS-12.0	27440192

ETIM

ETIM 8.0	EC002943
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

HC-CIF-D15-AIWS-SM-NI - Adapter insert



1424340

<https://www.phoenixcontact.com/pc/products/1424340>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

HC-CIF-D15-AIWS-SM-NI - Adapter insert

1424340

<https://www.phoenixcontact.com/pc/products/1424340>

Accessories

HC-CIF-B06-24-BFAFL-PL - DIN rail mounting frame

1424338

<https://www.phoenixcontact.com/pc/products/1424338>



DIN rail mounting frame, design: B6 - B24, for contact inserts, Base frame

HC-CIF-B16-HFWL-PL - DIN rail mounting frame

1424336

<https://www.phoenixcontact.com/pc/products/1424336>



DIN rail mounting frame, design: B16, for contact inserts, Top frame

HC-CIF-D15-AIWS-SM-NI - Adapter insert

1424340

<https://www.phoenixcontact.com/pc/products/1424340>



HC-CIF-B16-BFFD-FH-AL - DIN rail mounting frame

1404216

<https://www.phoenixcontact.com/pc/products/1404216>



HEAVYCON DIN rail mounting frame, lower part for double locking latch, for sleeve housing with double locking latch or HC-CIF..HFFD.., for type B16 contact inserts, for NS35/7,5 DIN rails

HC-CIF-B16-HFFD-WH-AL - DIN rail mounting frame

1404218

<https://www.phoenixcontact.com/pc/products/1404218>



HEAVYCON DIN rail mounting frame, upper part for double locking latch, for HC-CIF...BFWD.. lower parts with double locking latch or for HC-CIF...BFFD.. lower parts, for type B16 contact inserts, with M4 screws with 3 mm Allen screw head, for NS35/7,5 DIN rails

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com