

**THM
THM MT30X 27/85 WS**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The THM labels offer brilliant printing quality thanks to the thermal transfer technology. Different materials and the user-friendly printing system under Windows optimise every marking effort.

- High-quality polyester labels in various colours or inexpensive paper labels are available
- Labels are automatically positioned in the printer for perfectly centred prints on each label.

General ordering data

| | |
|--------------------|---|
| Type | THM MT30X 27/85 WS |
| Order No. | 1449830000 |
| Version | THM, Device markers, 27 x 85 mm, White |
| GTIN (EAN) | 4050118254716 |
| Qty. | 1 pc(s). |
| compatible printer | 2430920000 2448870000 |

**THM
THM MT30X 27/85 WS**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data
Dimensions and weights

| | | | |
|------------|---------|-----------------|------------|
| Width | 85 mm | Width (inches) | 3.346 inch |
| Height | 27 mm | Height (inches) | 1.063 inch |
| Depth | 0.08 mm | Depth (inches) | 0.003 inch |
| Net weight | 402 g | | |

General data

| | | | |
|--|-------------------|-------------------------|----------------|
| Adhesive | Acrylate adhesive | Approval acc. to UL 969 | Yes |
| Colour | White | Material | Polyester |
| Material colour according to resistance code | 9 | Number per roll | 1,000 |
| Operating temperature range | -40...150 °C | Printing method | Thermotransfer |
| UL 94 flammability rating | V-0 | Version | Self-adhesive |
| Width | 85 mm | | |

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 5.0 | EC001288 | ETIM 6.0 | EC001288 |
| eClass 6.2 | 27-14-91-29 | eClass 7.1 | 27-14-91-29 |
| eClass 8.1 | 27-14-91-29 | eClass 9.0 | 27-40-06-29 |
| eClass 9.1 | 27-40-06-29 | | |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|------------------|--|
| Engineering Data | EPLAN, WSCAD |
| Software | M-Print PRO configuration file |

Data sheet

THM
THM MT30X 27/85 WS

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

