

1452581-3 ✓ ACTIVE

FAKRA RF Connector System

TE Internal #: 1452581-3

Data Connectivity Housings, Housing for Male Terminals, C, Board-to-Board / Wire-to-Wire, 1 Position, Cable Exit Angle 180°, FAKRA RF Connector System

[View on TE.com >](#)



Connectors > Automotive Connectors > Data Connectivity Systems > Data Connectivity Housings



Connector & Housing Type: **Housing for Male Terminals**

Connector & Keying Code: **C**

Connector System: **Board-to-Board, Wire-to-Wire**

Number of Positions: **1**

Sealable: **No**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Housing for Male Terminals
Connector System	Board-to-Board, Wire-to-Wire
Sealable	No

Configuration Features

Snap-Lock	Without
Number of Positions	1

Signal Characteristics

Operating Frequency Range	0 – 6000 MHz
---------------------------	--------------

Body Features

Ferrule	Without
Body Material	PBT GF
Connector & Keying Code	C
Cable Exit Angle	180°

Contact Features

Center Contact	Without
Contact Type	Pin



Contact Mating Area Plating Material	Unplated
--------------------------------------	----------

RF Connector Center Contact Plating Material	None
----------------------------------------------	------

Mechanical Attachment

Mating Retention	With
------------------	------

Panel Attachment Style	Front Mount
------------------------	-------------

Housing Features

Housing Color	Blue
---------------	------

Dimensions

Connector Height	10.3 mm[.405 in]
------------------	------------------

Product Width	10.9 mm[.429 in]
---------------	------------------

Product Length	26 mm[1.023 in]
----------------	-----------------

Usage Conditions

Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C[149 °F][158 °F][167 °F][176 °F][185 °F]
-----------------------------	---------------------------------------------------------------------------

Cable Type	DACAR 462
------------	-----------

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

Operation/Application

Shielded	No
----------	----

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Quantity	2500
--------------------	------

Packaging Method	Bulk
------------------	------

Other

Outer Contact Plating Material	Other
--------------------------------	-------

Dielectric Material	None
---------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
-----------------------------------------------	-----------------------------------------

EU REACH Regulation (EC) No. 1907/2006	
----------------------------------------	--



Current ECHA Candidate List: JUNE 2024

(241)

Candidate List Declared Against: JAN 2024

(240)

Does not contain REACH SVHC









Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	-------------------------------------------------------------------------------------


Solder Process Capability	Not applicable for solder process capability
---------------------------	----------------------------------------------

Product Compliance Disclaimer










This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 1719261-3 1 POS FAKRA II PLUG HSG CODC FREE</p>	 <p>TE Part # 1452583-1 1 WAY JACK RETAINER FAKRA2</p>	 <p>TE Part # 1452584-3 1 WAY PLUG CONN FAKRA2</p>	 <p>TE Part # 2-1719261-3 1 POS FAKRA II PLUG HSG CODC FIXED</p>
 <p>TE Part # 2-2287956-3 1POS,FAKRA II,PLUG,REC HSG,CODC, ASSY</p>	 <p>TE Part # 2-2392990-3 1P FAKRA II HSG ASSY 90DEG COD C</p>	 <p>TE Part # 2330270-3 1POS,FAKRA AX,SOC HSG ASSY, 90DEG,COD C</p>	 <p>TE Part # 1452582-3 1 WAY JACK HSG FAKRA2</p>



Also in the Series | FAKRA RF Connector System



Customers Also Bought



Documents

Product Drawings

1 WAY JACK COAX CONN FAKRA2

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1452581-3_B_c-1452581-3-b.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1452581-3_B_c-1452581-3-b.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1452581-3_B_c-1452581-3-b.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English