


1483353-1 ✓ ACTIVE

TE Internal #: 1483353-1
Power Cable Assemblies, Double-Ended, .08 mm², Overall Outside
Cable Diameter .036 in [.93 mm], Cable Assembly Length .32 ft [.1
m], Gray

[View on TE.com >](#)



Cable Assemblies > Copper Cable Assemblies > Power Cable Assemblies



Configuration: **Double-Ended**

Wire Size: **.08 mm²**

Overall Outside Cable Diameter: **.93 mm [.036 in]**

Shielded: **No**

Cable Assembly Length: **.1 m [.32 ft]**

Features

Product Type Features

Product Type	Cable Assembly
Product Designation	Patch Cord
Cable Assembly Category	Industry Standard
Shielded	No
Cable Assembly Type	Micro-Match Lead
Connector Type (End A)	Micro-Match MOW Connector
Connector Type (End B)	Micro-Match MOW Connector

Configuration Features

Keyed	Yes
Number of Positions	10
Number of Power Positions	0
Configuration	Double-Ended

Body Features

Equalized	Yes
-----------	-----



Color	Gray
-------	------

Housing Features

Housing Material	PBT GF20
Housing Color	Red

Dimensions

Wire Size	28 AWG
Overall Outside Cable Diameter	.93 mm [.036 in]

Usage Conditions

Operating Temperature Range	-40 – 221 °C [-40 – 105 °F]
-----------------------------	-----------------------------

Industry Standards

IEEE 1394	No
Flammability Rating	UL 2651

Other

CLOUDSPLITTER	No
Cable Assembly Length	.1 m [.32 ft]

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JUL 2019 (201)
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer