

**cable lug, terminal end  
VSRI/0,1-0,5**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Insulated cable connector made from PVC

- Conventional designs
- Not soldered
- With conical entry funnel, except for joint connector

**General ordering data**

Type	VSRI/0,1-0,5
Order No.	<a href="#">1491490000</a>
Version	cable lug, terminal end, Insulated cable connector, 0,14 mm <sup>2</sup> - 0,5 mm <sup>2</sup>
GTIN (EAN)	4050118301533
Qty.	50 pc(s).

## Data sheet

### cable lug, terminal end VSRI/0,1-0,5

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Net weight	0.52 g
------------	--------

### Connectors

Conductor cross-section, max.	0.5 mm <sup>2</sup>	Conductor cross-section, min.	0.14 mm <sup>2</sup>
Identification colour	yellow	Inside diameter of collar (d4)	3.1 mm
Inside diameter of shaft (d1)	1.4 mm	Length 1 (l1)	24.5 mm
Length 2 (l2)	11.5 mm <sup>2</sup>		

### Classifications

ETIM 5.0	EC001059	ETIM 6.0	EC001059
eClass 6.2	27-40-02-90	eClass 7.1	27-40-02-04
eClass 8.1	27-40-02-12	eClass 9.0	27-40-02-12
eClass 9.1	27-40-02-12		

### Approvals

ROHS	Conform
------	---------

### Downloads

Brochure/Catalogue	<a href="#">CAT 6 TOOLS 15/16 EN</a>
--------------------	--------------------------------------

**Data sheet**

**cable lug, terminal end  
VSRI/0,1-0,5**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Drawings**

