

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [1511174470](#)  
**Status:** **Active**  
**Overview:** [Milli-Grid Connector System](#)  
**Description:** 2.00mm Pitch, Milli-Grid PCB Header, Dual Row, Vertical, Through Hole, 2.00µm Tin (Sn) Plating, with Peg, 3.60mm PC Tail Length, with Pick and Place Cap, 20 Circuits, Glow-Wire Capable, Tube

**Documents:**

|  |  |
|--|--|
| <a href="#">3D Model</a>   | <a href="#">Application Specification 503940002-AS-000 (PDF)</a> |
| <a href="#">3D Model (PDF)</a>                                   | <a href="#">Packaging Specification PK-151117-0001-001 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                                    | <a href="#">Packaging Specification PK-151117-3000 (PDF)</a>     |
| <a href="#">Product Specification PS-151117-0001-001 (PDF)</a>   | <a href="#">Datasheet (PDF)</a>                                  |
| <a href="#">Application Specification 503940001-AS-000 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>             |

**Agency Certification**


|     |         |
|-----|---------|
| CSA | LR19980 |
| UL  | E29179  |

**General**

|                |   |
|----------------|---|
| Product Family | PCB Headers                                 |
| Series         | <a href="#">151117</a>                      |
| Application    | Board-to-Board, Signal, Wire-to-Board       |
| Overview       | <a href="#">Milli-Grid Connector System</a> |
| Product Name   | Milli-Grid                                  |
| UPC            | 889056810852                                |

**Physical**

|                                |                        |
|--------------------------------|------------------------|
| Breakaway                      | No                     |
| Circuits (Loaded)              | 20                     |
| Circuits (maximum)             | 20                     |
| Color - Resin                  | Black                  |
| First Mate / Last Break        | No                     |
| Flammability                   | 94V-0                  |
| Glow-Wire Capable              | Yes                    |
| Guide to Mating Part           | No                     |
| Keying to Mating Part          | None                   |
| Lock to Mating Part            | Yes                    |
| Material - Metal               | Copper Alloy           |
| Material - Plating Mating      | Tin                    |
| Material - Plating Termination | Tin                    |
| Material - Resin               | Liquid Crystal Polymer |
| Net Weight                     | 0.965/g                |
| Number of Rows                 | 2                      |
| Orientation                    | Vertical               |
| PC Tail Length                 | 3.60mm                 |
| PCB Locator                    | No                     |
| PCB Retention                  | Yes                    |
| PCB Thickness - Recommended    | 2.60mm                 |
| Packaging Type                 | Tube                   |
| Pitch - Mating Interface       | 2.00mm                 |
| Pitch - Termination Interface  | 2.00mm                 |
| Plating min - Mating           | 2.000µm                |
| Plating min - Termination      | 2.000µm                |
| Polarized to Mating Part       | Yes                    |
| Polarized to PCB               | Yes                    |
| Robotic Placement              | Pick and Place Cap     |
| Shrouded                       | Yes                    |



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Contained Per -  
D(2020)4578-DC (25  
June 2020)  
henicosaflooroundecanoic  
acid  
disodium 4-  
amino-3-[[4'-[(2,4-  
diaminophenyl)azo]  
chromium trioxide  
1,3-propanesultone  
1-vinylimidazole  
4,4'-methylenedi-o-  
toluidine  
dibutyltin dichloride  
methoxyacetic acid  
diisopentylphthalate  
disodium 3,3'-[[1,1'-  
biphenyl]-4,4'-  
diylbis(azo)  
octamethylcyclotetrasiloxane  
benzene-1,2,4-  
tricarboxylic acid 1,2-  
anhydride  
decamethylcyclopentasiloxane  
dodecamethylcyclohexasiloxane  
heptacosafloorotetradecanoic  
acid  
tricosafloorododecanoic  
acid  
di-n-pentyl phthalate  
(DPP)  
6-methoxy-m-toluidine  
furan  
1-bromopropane  
nitrobenzene  
4-o-tolylazo-o-  
toluidine  
ethylene thiourea

**China RoHS**

Stackable No  
Surface Mount Compatible (SMC) Yes  
Temperature Range - Operating -55° to +105°C  
Termination Interface: Style Through Hole

#### Electrical

Current - Maximum per Contact 2.0A  
Voltage - Maximum 125V AC

#### Solder Process Data

Duration at Max. Process Temperature (seconds) 011  
Lead-free Process Capability SMC&WAVE  
Max. Cycles at Max. Process Temperature 001  
Process Temperature max. C 265

#### Material Info

#### Reference - Drawing Numbers

Application Specification 503940001-AS-000, 503940002-AS-000  
Packaging Specification PK-151117-0001-001, PK-151117-3000  
Product Specification PS-151117-0001-001  
Sales Drawing SD-151117-0001-001

4-methyl-m-phenylenediamine  
o-toluidine  
butyl 4-hydroxybenzoate  
dinoseb (ISO)  
dihexyl phthalate (DnHP)  
dicyclohexyl phthalate  
N-methylacetamide  
dimethyl sulphate  
diethyl sulphate  
4-aminoazobenzene  
Fatty acids, C16-18, lead salts  
[phthalato(2-)]dioxotrilead  
Silicic acid (H<sub>2</sub>Si<sub>2</sub>O<sub>5</sub>), barium salt (1:1), lead-  
Perfluorohexane-1-sulphonic acid and its salts  
5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5  
1,2-benzenedicarboxylic acid, di-C<sub>6</sub>-10-alkyl est  
Cadmium sulphate  
Sodium perborate; perboric acid, sodium salt  
hexahydro-2-benzofuran-1,3-dione  
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated  
Perfluorononan-1-oic acid  
(2,2,3,3,4,4,5,5,6,6,7  
Reaction  
products of 1,3,4-thiadiazolidine-2,5-d  
Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o  
Chrysene  
Cadmium nitrate  
Pyrene  
Tris(4-nonylphenyl, branched and linear)  
phosphi  
2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propio  
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated  
Trixylyl phosphate  
Zirconia  
Aluminosilicate  
Refractory Ceramic  
Fibr  
Aluminosilicate  
Refractory Ceramic  
Fibres  
Boric acid

Disodium tetraborate  
Hydrazine  
1,3-BENZENEDIOL,  
TRINITRO-, LEAD  
SALT  
n-pentyl-  
isopentylphthalate  
3-ethyl-2-methyl-2-  
(3-methylbutyl)-1,3-  
oxazolidi  
1,2-  
benzenedicarboxylic  
acid, dipentylester,  
bra  
pentacosafuorotridecanoic  
acid  
1,2-  
Benzenedicarboxylic  
acid, dihexyl ester,  
bra  
Terphenyl,  
hydrogenated  
2-(2H-benzotriazol-2-  
yl)-4-(tert-butyl)-6-  
(sec-b  
2-(2H-benzotriazol-2-  
yl)-4,6-  
ditertpentylphenol  
dibutylbis(pentane-2,4-  
dionato-O,O')tin  
2-ethylhexyl 10-  
ethyl-4,4-dioctyl-7-  
oxo-8-oxa-3,  
disodium octaborate  
sodium  
peroxometaborate  
ammoniumpentadecafluorooctanoate  
pentazinc chromate  
octahydroxide  
1,2-dichloroethane  
trilead diarsenate  
2-methoxyaniline  
arsenic acid  
N,N-  
dimethylacetamide  
lead dipicrate  
potassium  
hydroxyoctaoxidizincatedichromate(1-)  
bis(2-methoxyethyl)  
ether  
calcium arsenate  
1,2-  
benzenedicarboxylic  
acid; di-C6-8-  
branched a  
N-methyl-2-  
pyrrolidone  
1,2-  
benzenedicarboxylic  
acid; di-C7-11-  
branched  
2-ethoxyethyl acetate  
cobalt sulphate  
cobalt di(acetate)  
cobalt carbonate

tetraboron disodium  
heptaoxide, hydrate  
sodium chromate  
potassium dichromate  
potassium chromate  
ammonium  
dichromate  
tris(2-chloroethyl)  
phosphate  
Lead sulfochromate  
yellow  
Lead chromate  
molybdate sulfate red  
lead chromate  
Anthracene oil,  
anthracene-low;  
Anthracene Oil F  
Anthracene oil,  
anthracene paste,  
distn. lights;  
Anthracene oil,  
anthracene paste,  
anthracene fra  
Anthracene oil,  
anthracene paste;  
Anthracene Oil  
Butylbenzylphthalate  
(BBP)  
lead hydrogen  
arsenate  
bis(2-ethylhexyl)  
phthalate (DEHP)  
dibutyl phthalate  
(DBP)  
4,4'-  
diaminodiphenylmethane  
triethyl arsenate  
Sulfurous acid, lead  
salt, dibasic  
Acetic acid, lead salt,  
basic  
cadmium hydroxide  
Lead titanium  
zirconium oxide  
dioxobis(stearato)trilead  
tetralead trioxide  
sulphate  
trilead dioxide  
phosphonate  
pentalead tetraoxide  
sulphate  
lead oxide sulfate  
Silicic acid, lead salt  
cadmium chloride  
lead dinitrate  
pyrochlore, antimony  
lead yellow  
cadmium fluoride  
cadmium  
lead  
 $\alpha,\alpha$ -Bis[4-  
(dimethylamino)phenyl]-4  
(phenylamino)

[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(Lead oxide  
trilead bis(carbonate) dihydroxide  
orange lead  
cadmium sulphide  
cadmium oxide (non-pyrophoric)  
diboron trioxide  
bis(pentabromophenyl) ether  
4,4'-bis(dimethylamino)-4''-(methylamino)trityl  
[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclcadmium carbonate  
1,2-dimethoxyethane  
4,4'-bis(dimethylamino)benzophenone  
dichromium  
tris(chromate)  
phenolphthalein  
lead diazide  
bis(2-methoxyethyl)  
phthalate  
Formaldehyde,  
polymer with  
benzenamine

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

|                 |               |
|-----------------|---------------|
| China ROHS      | Green Image   |
| ELV             | Not Relevant  |
| RoHS Phthalates | Not Contained |

**Search Parts in this Series**

[151117 Series](#)

**Mates With**

Milli-Grid Receptacle Housing [151192](#) ,  
[51110](#) <br>Milli-Grid PCB Receptacles  
[78787](#) , [78788](#) , [79107](#) , [79109](#)

This document was generated on 10/13/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**