



+ CONNECTORS
LEADFRAMES



✓ Active

TE CONNECTIVITY (TE)
CTS 2,54 BRONZE ET
CST , CT

1544222-2
TE Internal Number: 1544222-2
Alias ID: 5102278044111

- EU RoHS Compliant
- EU ELV Compliant
- Standoff Height .55 mm [.022 in]
- Clip Style Single-In-Line (SIL)
- Centerline (Pitch) (in) .1
- Centerline (mm) 2.54
- PCB Thickness .63 mm [.025 in]

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

LEAD FRAME SIL
PDF
English

CAD Files

Customer View Model
3D_IGS.ZIP
English

Customer View Model
3D_STP.ZIP
English

Customer View Model

2D_DXF.ZIP

English

3D PDF

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Leadframe

Configuration Features

Solder Inlay Without
Winding Direction Down

Body Features

Clip Style Single-In-Line (SIL)
Hold-Down Feature Without
Clip Length 1.4 mm [.055 in]
Frame Thickness .25 mm [.01 in]
Clip Type Y1
Frame Width 18.1 mm [.712 in]

Contact Features

Contact Plating Material Tin
Pin Length 9.5 mm [.374 in]
Contact Base Material Phosphor Bronze

Termination Features

Contact Termination Type Through Hole

Housing Features

Centerline (Pitch) (in) .1
Centerline (mm) 2.54

Dimensions

PCB Thickness .63 mm [.025 in]
Standoff Height .55 mm [.022 in]
Gap Size .52 mm [.02 in]

Packaging Features

Packaging Quantity 40000

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF