

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [1554311004](#)
Status: **Active**
Overview: Flamar Standard and Custom Cables for Industrial Automation
Description: Flamar PROFIBUS* DP Network Cable, PUR Jacket, Braided Shielding Overall, 2 Circuits, 0.34mm² / 22 AWG, 8.20mm (.323") Diameter, 200.0m (656.17') Length, Violet

Documents:

[Product Specification 1554311004-P1E \(PDF\)](#)
[Brochure \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

UL E172949

General

Product Family Cable
 Series [155431](#)
 Crimp Quality Equipment Yes
 Geographic Area Global
 Overview [Flamar Standard and Custom Cables for Industrial Automation](#)
 Product Name Flamar, Network
 Protocol PROFIBUS
 UPC 889056465540

Physical

Bending Radius - Minimum > 15xOD
 Cable Length 200.0m
 Circuits (Loaded) 2
 Color - Cable Jacket Violet
 Insulation Foam PE
 Material - Outer Jacket PUR
 Net Weight 0.070/kg
 Outer Jacket Diameter 8.20mm
 Packaging Type Reel
 Temperature Range - Operating -20° to +60°C
 Wire Size AWG 22
 Wire Size mm² 0.34
 Wire/Cable Type UL AWM 20233 / CSA

Electrical


Current - Maximum per Contact Contact Molex
 Voltage - Maximum 300V

Material Info

Engineering Number 1X200M

Reference - Drawing Numbers

Product Specification 1554311004-P1E



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[155431](#) Series

Use With

Micro-Change (M12) [130047](#) , [120100](#) ,
[130034](#) , [120071](#)