













1.6

Cable Ties and Fixings
Fixing products for holes

1 round holes

de gned cab e arnesses in au mo ive ndustr , nd se ha sul ed ese in ot e or exam le , swi ch gear hi e goods .

Fea ur s nd enefits

- Cabl tie head
- Ea y ss mb e eed a
- Disc adjusts tie essur rom vari us i ections and and
- can fo nel
- h aded ho s

ane .

Material specification
please see page 26.

T50SOSFT6D10E

L
W

L

ap ead nd ; T220DP7

TYPE		Ø)	Panel Thi knes	W)	Bundle max.	N	Ø		olour	Too s	.
T50SOSFT6D1 E		5 6	0. .5	4	32.0	20	.8	PA46	GY	2 -	157- 0028
		5 6	0. .5	4	32.0	22	.8	PA66HS	BK	2 - 6; ; 0	157- 0045
T50SOSFT6E2		6 7	0. .2	4	35.0	18	16.	PA66HS		2 - 6; ; 0	157- 0085
T50SOSFT6L E		6 7	0. .0	4	35.0	18	16.	PA66HS		2 - 6; ; 0	157- 0228
T50SOSFT8E		8 8	0. .0	4	35.0	22	16.	PA46		2 - 6; ; 0	157- 0115
		8 8	0. .0	4	35.0	22	16.	PA66HS		2 - 6; ; 0	157- 0072
T18RDP5		4 .1	3 4	2.	20	80	13 0	PA66	BK	2;5 6	150- 56 0

ension ubje t hanges.

Add item you atchl st!
www. T. l k/9

1



[illegible]

i [illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	N	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]

[illegible]								
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]

[illegible]

HellermannTyton

						RoHS
						RoHS
						RoHS
						RoHS
						HF RoHS
						HF RoHS
						HF LFH RoHS
						RoHS
						RoHS
						HF RoHS
						HF RoHS
						HF RoHS
						RoHS
						RoHS
						RoHS
						HF RoHS

						HF RoHS
						HF RoHS
						HF LFH RoHS
						HF LFH RoHS
						HF LFH RoHS
						HF RoHS
						HF LFH RoHS
						HF RoHS
						HF RoHS
						RoHS
						HF RoHS
						RoHS
						HF LFH RoHS
						HF RoHS

= Minimum Loop Tensile Strength for Cable Ties (newton)