

1587827-2 ✓ ACTIVE

TE Internal #: 1587827-2

Cable Seal, PA 66 GF, Orange, 5.6 mm [.22 in] Cavity Diameter, 2

Position, -40 – 125 °C [-40 – 257 °F] Operating Temperature

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cable Seal**

Primary Product Material: **PA 66 GF**

Primary Product Color: **Orange**

Cavity Diameter: **5.6 mm [.22 in]**

Operating Temperature (Max): **125 °C [257 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Cable Seal
----------------------------	------------

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Primary Product Material	PA 66 GF
Primary Product Color	Orange

Dimensions

Cavity Diameter	5.6 mm [.22 in]
-----------------	-----------------

Usage Conditions

Operating Temperature (Max)	125 °C [257 °F]
Operating Temperature Range	-40 – 125 °C [-40 – 257 °F]

Other

Contains Lubricant	No
--------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
 Candidate List Declared Against: JUNE 2024 (241)
 Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1587902-8
 Plug Pig Tail Assy, HV, HVA280 2P

Customers Also Bought



TE Part #4-2103177-1
 PLUG ASSY, KEY A, FA,CPA, HVA280-2PHI XE




TE Part #4-2103177-5
 PLUG ASSY, KEY E, FA,CPA, HVA280-2PHI XE



TE Part #1587826-2
 CABLE SEAL, SIZE B, HVA280-2PI



TE Part #1587829-2
 OUTER FERRULE, SIZE B, HVA280-2PI



TE Part #1-968853-3
AMP MCP 2.8, CONTACT



TE Part #4-2103177-2
PLUG ASSY, KEY B, FA,CPA, HVA280-2PHI XE




TE Part #4-2103177-4
PLUG ASSY, KEY D, FA,CPA, HVA280-2PHI XE



TE Part #1587827-3
CABLE SEAL RETAINER, SIZE C, HVA280-2PI



TE Part #1587828-2
INNER FERRULE, SIZE B, HVA280-2PI



TE Part #5-2176422-4
TLRP 2512 3.0W R010 1% 50PPM 4K RL

Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_1587827-2_B.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1587827-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1587827-2_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English