

167771-1 ✓ ACTIVE

## EUROCARD


TE Internal #: 167771-1

Eurocard Connectors, Receptacle, Board-to-Board, 64 Position, .2 in [5.08 mm] Centerline, Printed Circuit Board, 4 Row, Vertical, 16 Column

[View on TE.com >](#)



Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: **Receptacle**

Connector System: **Board-to-Board**

Termination Post & Tail Length: **22 mm [ .866 in ]**

Number of Positions: **64**

Centerline (Pitch): **5.08 mm [ .2 in ]**

### Features

#### Product Type Features

Eurocard Connector Configuration Type	Type G
Connector & Housing Type	Receptacle
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
DIN Size	Standard
DIN Level	I

#### Configuration Features

Number of Positions	64
Number of Rows	4
PCB Mount Orientation	Vertical
Number of Columns	16
Number of Signal Positions	64
Rows Loaded	Z, B, D, F

#### Body Features

Primary Product Color	Gray
-----------------------	------

#### Contact Features

Contact Type	Socket
Contact Mating Area Plating Material Thickness	.76 $\mu$ m



Contact Mating Area Plating Material	Gold
PCB Contact Termination Area Plating Material	Tin-Lead
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	5.5 A

### Termination Features

Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Termination Post & Tail Length	22 mm[.866 in]

### Mechanical Attachment

Mating Alignment Type	Polarization
Mating Retention	Without
Mating Alignment	With
Panel Mount Feature	Without
Connector Mounting Type	Board Mount

### Housing Features

Housing Material	Thermoplastic Polyester - GF
Centerline (Pitch)	5.08 mm[.2 in]

### Dimensions

Connector Height	43.9 mm
PCB Thickness (Recommended)	2.4 – 3.2 mm
Row-to-Row Spacing	3.81 mm[.15 in]

### Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Signal
---------------------	--------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Method	Tray
------------------	------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------









EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Customers Also Bought

 <p>TE Part #966066-5 FER,WIRE,PL SLV,,14/26,L6,GREY,LP</p>	 <p>TE Part #1734035-2 MINI USB, TYPE B, R/A, SMT</p>	 <p>TE Part #1623693-1 CRG1206 ZEROHM</p>	 <p>TE Part #1-406541-8 MJ,INV,1X1,0PNL G,.100"ST,SN</p>
 <p>TE Part #2-1625886-1 1W SM M/OX 5% 4K7</p>	 <p>TE Part #468262-002 GURONIC-C500-0-H5000</p>	 <p>TE Part #244836-E SMCQ 12 M AB VW 8-13 CL * H007 137 E005</p>	 <p>TE Part #1-1768028-9 LBG-U-02264</p>



## Documents

### Product Drawings

[64P.IEC-G FEM.CONN.](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_167771-1\\_F.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_167771-1\\_F.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_167771-1\\_F.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.