


## HC-B 24-SML-84/O2PG29

Order No.: 1677995

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1677995>

Box mounting base, with single locking latch, height 84 mm, without screw connection, 2x Pg29

Commercial data	
GTIN (EAN)	 4 017918 151584
Note	Made-to-order
sales group	D002
Pack	10 pcs.
Customs tariff	85389099

**Product notes**

WEEE/RoHS-compliant since:  
01/31/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data**

General data	
Design	B24
Height	84 mm
Width	57 mm
Length	144 mm
Housing type	Box mounting bases

Locking type	With single locking latch
Pg screw connection	None
Type of the screw connection	2x Pg29
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Material lock	High-grade steel, handle: PA-GF
Material grip body interlock	PA-GF

### Certificates / Approvals




Certification

GOST

### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;