

Base strip - CIOC 4-4-FV - 1701401


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Header, Nominal current: 3 A, Rated voltage (III/2): 32 V, Number of positions: 16, Pitch: 2 mm, Color: black, Contact surface: Gold, Mounting: Soldering

Product Features

- 3 and 4-pos. miniature headers for CIOC ...-M plugs
- Gold-plated contact system
- Enables the space-saving design of I/O modules and signal distributors



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	50 pc
Weight per Piece (excluding packing)	10.02 g
Custom tariff number	85366990
Country of origin	Japan

Technical data

Dimensions

Pitch	2.00 mm
Dimension a	6 mm
Pin spacing	2.00 mm

General

Range of articles	CIOC-FV
Rated voltage (III/2)	32 V
Connection in acc. with standard	EN-VDE
Nominal current I_N	3 A
Maximum load current	3 A

Base strip - CIOC 4-4-FV - 1701401

Technical data

General

Insulating material	PA
Flammability rating according to UL 94	V0
Color	black
Number of positions	16

Standards and Regulations

Connection in acc. with standard	EN-VDE
	CUL
Flammability rating according to UL 94	V0

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402
eCl@ss 8.0	27440309

ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002637
ETIM 5.0	EC002637

UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

Approvals

Approvals

Base strip - CIOC 4-4-FV - 1701401

Approvals


Approvals


UL Recognized / cUL Recognized / EAC / cULus Recognized

Ex Approvals


Approvals submitted

Approval details

UL Recognized 	
Nominal current I _N	3 A
Nominal voltage U _N	32 V

cUL Recognized 	
Nominal current I _N	3 A
Nominal voltage U _N	32 V


EAC

cULus Recognized 
--

Drawings

Base strip - CIOC 4-4-FV - 1701401

Drilling diagram



Dimensional drawing

