

# Eaton 170M1373

Catalog Number: 170M1373

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 350A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X Din 43-620 blade end, Class aR, DIN 43 620

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed square body fuse	170M1373
	UPC
	051712309561
<b>EAN</b>	<b>Product Length/Depth</b>
5027590440905	105 mm
<b>Product Height</b>	<b>Product Width</b>
46 mm	300 mm
<b>Product Weight</b>	<b>Warranty</b>
141 g	Not Applicable
<b>Compliances</b>	
Contact factory RoHS Compliant	



## Product specifications

### Fuse indicator

Top fuse status indicator

### Interrupt rating

200 kAIC

### Construction size

000

### Rated voltage AC

690 V

### Center-to-center distance of connections

76.7 mm

### Color

None

### Insulated metal gripping lugs (IMGL)

No

### Connection

Blade end x Din 43-620 blade end

### Current type

AC

### Mounting method

DIN 43 620

### Amperage Rating

350 A

### Mounting dimension

M8

### Utilization category

aR (accompanied semiconductor protection)

### Type

Fuse

### Fuse shape

Square body, slotted offset bolted tags

### Breaking capacity

200 kA

### Fuse size

000

### Class

## Resources

### Catalogs

[Product overview for machinery](#)

[170M1373-Eaton Bussmann series high speed square body fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

### Specifications and datasheets

[Eaton Specification Sheet - 170M1373](#)

Class aR

Voltage rating

690 V

Application

semiconductor protection

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)