



Extract from the online catalog

MCV 1,5/10-GR-3,81 P26 THRR56

Order No.: 1713541



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1713541>

Header, Nominal current: 8 A, Nom. voltage: 160 V, Pitch: 3.81 mm, Number of positions: 10, Color: black, Assembly: Taped SMD/THT/THR components

Commercial data	
EAN	4046356093194
Pack	200 pcs.
Customs tariff	85366990
Weight/Piece	0.004915 KG
Catalog page information	Page 185 (NTK-2006)

Product notes

WEEE/RoHS-compliant since:
09/07/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions / positions	
Length	7.25 mm
Height	9.2 mm
Pitch	3.81 mm

MCV 1,5/10-GR-3,81 P26 THRR56 Order No.: 1713541
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1713541>

Dimension a	34.29 mm
Number of positions	10
Pin dimensions	0,8 x 0,8 mm
Pin spacing	3.81 mm
Hole diameter	1.3 mm

Technical data

Insulating material group	IIIa
Rated surge voltage (III/3)	2.5 kV
Rated surge voltage (III/2)	2.5 kV
Rated surge voltage (II/2)	2.5 kV
Rated voltage (III/2)	160 V
Rated voltage (II/2)	250 V
Connection in acc. with standard	EN-VDE
Nominal current I_N	8 A
Nominal voltage U_N	160 V
Maximum load current	8 A (per position)
Insulating material	LCP
Inflammability class acc. to UL 94	V0

Certificates / Approvals



Certification CUL, UL

CUL

Nominal voltage U_N	300 V
Nominal current I_N	8 A


UL

Nominal voltage U_N	300 V
Nominal current I_N	8 A


MCV 1,5/10-GR-3,81 P26 THRR56 Order No.: 1713541
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1713541>

Drawings

Drilling diagram



Dimensioned drawing



MCV 1,5/10-GR-3,81 P26 THRR56 Order No.: 1713541
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1713541>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;

onlinecomponents.com