

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [1717501038](#)
Status: **Active**
Overview: [Impel and Impel Plus Backplane Solutions](#)
Description: Impel 90 Ohm, 2 Pair Right-Angle Daughtercard, 1.90mm Pitch, Unguided, 8 Columns, 32 Circuits, Plated Through Hole Dimension 0.36mm

Documents:

3D Model	Application Specification AS-171320-991-001 (PDF)
3D Model (PDF)	Application Specification AS-171320-992-001 (PDF)
Drawing (PDF)	Packaging Specification PK-78888-313-001 (PDF)
Product Specification PS-171320-999-001 (PDF)	RoHS Certificate of Compliance (PDF)
Application Specification AS-171320-990-001 (PDF)	

General


Product Family	Backplane Connectors
Series	171750
Application	Coplanar, Daughtercard
Application Tooling Documents	TM-622018899
Component Type	PCB Receptacle
Overview	Impel and Impel Plus Backplane Solutions
Product Name	Impel
UPC	191128267526

Physical

Circuits (Loaded)	32
Circuits (maximum)	32
Color - Resin	Black
Durability (mating cycles max)	200
First Mate / Last Break	No
Guide to Mating Part	No
Keying to Mating Part	None
Material - Metal	High Performance Alloy (HPA)
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Net Weight	7.678/g
Number of Columns	8
Number of Pairs	2
Number of Rows	4
Orientation	Right Angle
PC Tail Length	1.30mm
PCB Locator	No
PCB Retention	None
PCB Thickness - Recommended	1.00mm
Packaging Type	Tray
Pitch - Mating Interface	1.90mm
Pitch - Termination Interface	1.90mm
Plating min - Mating	0.762µm
Temperature Range - Operating	-55° to +85°C

Electrical

Current - Maximum per Contact	0.75A
Data Rate	40.0 Gbps
Impedance	90Ω
Shield Type	Full Shield
Voltage - Maximum	150V AC (RMS)/DC



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Contained Per -
D(2020)4578-DC (25
June 2020)
disodium 3,3'-[[1,1'-
biphenyl]-4,4'-
diylbis(azo)
1,2-diethoxyethane
1-vinylimidazole
1,3-propanesultone
disodium 4-
amino-3-[[4'-[(2,4-
diaminophenyl)azo]
ammoniumpentadecafluorooctanoate
2-benzotriazol-2-
yl-4,6-di-tert-
butylphenol
2,4-di-tert-butyl-6-(5-
chlorobenzotriazol-2-
yl)p
sodium
peroxometaborate
2-ethylhexyl 10-
ethyl-4,4-dioctyl-7-
oxo-8-oxa-3,
2-(2H-benzotriazol-2-
yl)-4,6-
ditertpentylphenol
2-(2H-benzotriazol-2-
yl)-4-(tert-butyl)-6-
(sec-b
Terphenyl,
hydrogenated
1,2-
Benzenedicarboxylic
acid, dihexyl ester,
bra
dodecamethylcyclohexasiloxane
benzo[a]pyrene
dimethyl sulphate

China RoHS

Solder Process Data

Lead-free Process Capability

N/A

Material Info**Reference - Drawing Numbers**

Application Specification

AS-171320-990-001, AS-171320-991-001,

AS-171320-992-001

Packaging Specification

PK-78888-313-001

Product Specification

PS-171320-999-001

Sales Drawing

SD-171750-0001-001

N-methylacetamide

p-(1,1-

dimethylpropyl)phenol

dicyclohexyl phthalate

phenanthrene

butyl 4-

hydroxybenzoate

o-toluidine

4-methyl-m-

phenylenediamine

ethylene thiourea

4-o-tolylazo-o-

toluidine

furan

di-n-pentyl phthalate

(DPP)

perfluorooctanoic acid

dodecamethylcyclhexasiloxane

pentacosafuorotridecanoic

acid

Nonadecafluorodecanoic

acid (PFDA) and its

sodiu

Tris(4-nonylphenyl,

branched and linear)

phosphi

Perfluorobutane

sulfonic acid (PFBS)

and its sal

Pyrene

Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o

Reaction

products of 1,3,4-

thiadiazolidine-2,5-d

Perfluorononan-1-

oic acid

(2,2,3,3,4,4,5,5,6,6,7

Methylhexahydrophthalic

anhydride

Bisphenol-A

Cadmium sulphate

reaction mass of

2-ethylhexyl 10-

ethyl-4,4-dioct

1,2-

benzenedicarboxylic

acid, di-C6-10-alkyl

est

5-sec-butyl-2-(2,4-

dimethylcyclohex-3-

en-1-yl)-5

Perfluorohexane-1-

sulphonic acid and its

salts

4-Nonylphenol,

branched and linear,

ethoxylated

pentacosafuorotridecanoic

acid

1,2-

benzenedicarboxylic

acid, dipentylester,

bra

2-methyl-1-(4-methylthiophenyl)-2-morpholinoprop
2-benzyl-2-dimethylamino-4-morpholinobutyropheno
3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidi
n-pentyl-
isopentylphthalate
Disodium tetraborate
Boric acid
4,4'-Oxydianiline and its salts
Sodium dichromate
Aluminosilicate
Refractory Ceramic Fibres
Zirconia
Aluminosilicate
Refractory Ceramic Fibr
4-Nonylphenol, branched and linear
[substances w
Trixylyl phosphate
4-Nonylphenol, branched and linear, ethoxylated
potassium chromate
potassium dichromate
tetraboron disodium heptaoxide, hydrate
trichloroethylene
2-ethoxyethanol
2-methoxyethanol
cobalt carbonate
cobalt dinitrate
cobalt sulphate
2-ethoxyethyl acetate
1,2-benzenedicarboxylic acid; di-C7-11-branched
N-methyl-2-pyrrolidone
1,2,3-trichloropropane
1,2-benzenedicarboxylic acid; di-C6-8-branched a
potassium
hydroxyoctaoxidizincatedichromate(1-)
potassium chromate
4,4'-diaminodiphenylmethane
dibutyl phthalate (DBP)
cobalt dichloride
diarsenic pentaoxide
diarsenic trioxide
musk xylene
bis(2-ethylhexyl) phthalate (DEHP)

alkanes, C10-13,
chloro
bis(tributyltin) oxide
lead hydrogen
arsenate
Anthracene oil,
anthracene-low;
Anthracene Oil F
lead chromate
Lead chromate
molybdate sulfate red
Pitch, coal tar, high-
temp.; Pitch
potassium
hydroxyoctaoxodizincatedichromate(1-)
[4-[[4-anilino-1-
naphthyl][4-
(dimethylamino)phen
lead
cadmium
lead dinitrate
Silicic acid, lead salt
lead oxide sulfate
lead titanium trioxide
tetralead trioxide
sulphate
dioxobis(stearato)trilead
lead
bis(tetrafluoroborate)
Sulfurous acid, lead
salt, dibasic
Silicic acid (H₂Si₂O₅),
barium salt (1:1),
lead-
[phthalato(2-)]dioxotrilead
Fatty acids, C16-18,
lead salts
benzo[a]pyrene
[4-[[4-anilino-1-
naphthyl][4-
(dimethylamino)phen
arsenic acid
trilead diarsenate
pentazinc chromate
octahydroxide
bis(2-methoxyethyl)
phthalate
dichromium
tris(chromate)
2,2'-dichloro-4,4'-
methylenedianiline
N,N,N',N'-
tetramethyl-4,4'-
methylenedianiline
cadmium carbonate
diboron trioxide
cadmium oxide (non-
pyrophoric)
orange lead
trilead bis(carbonate)
dihydroxide
Lead oxide
1,3,5-
tris(oxiranylmethyl)-1,3,5-
triazine-2,4,6(

**Halogen-Free
Status**

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

Green Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[171750 Series](#)

Mates With

Impel Vertical Backplane Header

[1717451837](#) , [1717451807](#)

Application Tooling | [FAQ](#)

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Installation Press-

[622018897](#)

in Tool for Impel

1.90mm Pitch

Daughtercard

Module Assembly

(2-Pair by 8 Column

Assemblies)

This document was generated on 10/28/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION