

1718350-3 ✓ ACTIVE

AMP | MCON Interconnection System

TE Internal #: 1718350-3

Automotive Terminals, Tab, Mating Tab Width .047 in [1.2 mm], Tab Thickness .024 in [.6 mm], 20 – 18 AWG Wire Size, MCON Interconnection System

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > MCON, RECEPTACLE AND TAB



Terminal Type: **Tab**

Mating Tab Width: **1.2 mm [.047 in]**

Mating Tab Thickness: **.6 mm [.024 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **20 – 18 AWG**

[All MCON, RECEPTACLE AND TAB \(101\)](#)

Features

Product Type Features

Sealable	No
Primary Locking Feature	Clean Body

Contact Features

Contact Size	1.2mm
Contact Fabrication	Stamped & Formed
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	1.2 mm[.047 in]
Mating Tab Thickness	.6 mm[.024 in]
Interface Plating	Silver (Ag)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Accepts Wire Insulation Diameter Range	1.4 – 1.9 mm[.055 – .075 in]
Wire Size	.5 – .75 mm ²
Wire Size Search	18 AWG, 19 AWG, 20 AWG



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F][293 °F][302 °F]
Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	9000
Packaging Method	Reel

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1579007-8
EXTRACTION TOOL



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 1670144-3
MCON 1.2 CB REC SRC AG



TE Part # CAT-M4595-CH8172
MCON, CONNECTOR HOUSING



TE Part # 2151037-1
OCEAN_2.0_APPLICATOR-S-055F072SP



TE Part # 2-2151037-1
OCEAN_2.0_APPLICATOR-S-055F072SP



TE Part # 2-2151037-2
OCEAN_2.0_APPLICATOR-S-055F072SP



TE Part # 2-2836156-1
OCEAN_2.0_APPLICATOR-S-055F072O



TE Part # 2-2836156-2
OCEAN_2.0_APPLICATOR-S-055F072O



TE Part # 2151037-2
OCEAN_2.0_APPLICATOR-S-055F072SP



TE Part # 2292937-1
2POS,1.2X0.6,TAB HSG ASSY,SLD, COD A



TE Part # 2292937-2
2POS,1.2X0.6,TAB HSG ASSY,SLD, COD B



TE Part # 2836156-1
OCEAN_2.0_APPLICATOR-S-055F072O



TE Part # 2836156-2
OCEAN_2.0_APPLICATOR-S-055F072O



TE Part # 2844610-1
EXT TOOL, MCON 1.2 CB



TE Part # 7-2151037-1
OCEAN_2.0_APPLICATOR-S-055F072SP




TE Part # 7-2151037-2
OCEAN_2.0_APPLICATOR-S-055F072SP



KIT
REPRESENTATION ONLY
TE Part # 7-2151037-7
OCEAN_2.0_SPARE_PART_KIT-055F072SP




TE Part # 7-2836156-1
OCEAN_2.0_APPLICATOR-S-055F072O




TE Part # 7-2836156-2
OCEAN_2.0_APPLICATOR-S-055F072O


Also in the Series | **MCON Interconnection System**




Automotive Connector Caps & Covers (24)




Automotive Connector Locks & Position Assurance(11)




Automotive Housings(287)




Automotive Seals & Cavity Plugs(5)



Automotive Terminals(111)



Insertion & Extraction Tools(31)



Other Automotive Connector Accessories(7)



PCB Headers & Receptacles(1)

Customers Also Bought



TE Part #HDP26-24-47PE
PLG, 47P, BLK, E, 16/20, P



TE Part #2-1625999-6
HSC100 2R2 5%



TE Part #1879453-1
TE 1000W 1R0 5% Bracket



TE Part #5-965982-1
TAB 2.8x0.8 CONTACT CF SWS Sn

Documents

Product Drawings
MCON 1.2 CB TAB STC AG

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_1718350-3_B_c-1718350-3-b.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1718350-3_B_c-1718350-3-b.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1718350-3_B_c-1718350-3-b.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[MCON Interconnection System](#)

English

Product Specifications

[Application Specification](#)

English