

## Crimp contact - IPCC 16-10-MT - 1733372


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Single crimp pin contact for flexible cable with 6 and 10 mm<sup>2</sup> cross section.



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
GTIN	 4 046356 282789
GTIN	4046356282789
Weight per Piece (excluding packing)	2.200 g
Custom tariff number	85366990
Country of origin	Germany

### Technical data

#### Electrical characteristics

Rated current	50 A
Maximum load current	50 A

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

#### Mechanical characteristics

Conductor cross section	10 mm <sup>2</sup>
Stripping length of the individual wire	8 mm
Contact diameter	3.4 mm
Conductor cross section AWG max.	8

# Crimp contact - IPCC 16-10-MT - 1733372

## Technical data

### Mechanical characteristics

Insertion/withdrawal cycles	>= 25
-----------------------------	-------

### General

Series	VC-D
Connection method	Crimp connection
Contact type	rolled

### Material data

Contact surface material	silver-plated
--------------------------	---------------

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27261200
eCl@ss 6.0	27261200
eCl@ss 7.0	27440204
eCl@ss 8.0	27440204
eCl@ss 9.0	27440204

### ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002637
ETIM 5.0	EC000796
ETIM 6.0	EC000796
ETIM 7.0	EC000796

### UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121522

## Crimp contact - IPCC 16-10-MT - 1733372

### Approvals

Approvals

---

Approvals


EAC

---

Ex Approvals

---

### Approval details

EAC		B.01742
-----	---	---------

---