




CONNECTORS

MICRO SATA CONNECTORS



✓ Active

TE CONNECTIVITY (TE)

Assembly Micro SATA Plug 7P+9P

SATA Connector | Micro SATA

1735443-2

TE Internal Number: 1735443-2

EU RoHS Compliant

EU ELV Compliant

Connector Style Plug

Contact Configuration 7P + 9P

PCB Mounting Orientation Right Angle

PCB Mounting Style Straddle Mount

Mounting Location Top

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

CONNECTOR, MICRO SATA PLUG, 7P +9P STRADDLE MOUNT

PDF (TIFF AVAILABLE)

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Product Specifications

Product Specification

MICRO SATA CONNECTOR

PDF

English

Qualification Test Report

MICRO SATA CONNECTOR, PLUG & RECEPTACLE

PDF

English

Agency Approvals

UL Report

SERIES SERIAL ATA (SATA); SLIMLINE SATA PLUGS; MICRO SATA PLUGS, A-FREE SATA CONNECTORS

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Style Plug

PCB Mounting Orientation Right Angle

Shell Without

Product Type Connector

Configuration Features

Stackable No

Number of Rows 1

Contact Features

Contact Configuration 7P + 9P

Contact Base Material Copper Alloy

Contact Mating Area Plating Material Gold Flash

Solder Tail Contact Plating Material Gold

Solder Tail Contact Plating Finish Gold

Mechanical Attachment

PCB Mounting Style Straddle Mount
Mounting Location Top
Boardlock Material Copper Alloy
PCB Mount Retention Without
Mating Alignment Type Polarization

Housing Features

Housing Material Thermoplastic
Housing Color Black

Usage Conditions

High Temperature Housing Yes

Industry Standards

UL Flammability Rating UL 94V-0

Packaging Features

Packaging Quantity 50
Packaging Method Tray

Other

Comment Top Mount

Statement of Compliance

Statement of Compliance

PDF
