

**VG K SZS (standard plastic cable gland with anti-kink coils)**  
**VG M25-K68 SKS**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Cable gland with spiral kink protection specially for flexible connections

**General ordering data**

Type	VG M25-K68 SKS
Order No.	<a href="#">1776730000</a>
Version	VG K SZS (standard plastic cable gland with anti-kink coils), Cable glands, M 25, 15 mm, OD min. 13 - OD max. 18 mm, Polyamide 6
GTIN (EAN)	4032248156153
Qty.	25 pc(s).

Creation date August 8, 2020 11:24:28 PM CEST

## Data sheet

### VG K SZS (standard plastic cable gland with anti-kink coils) VG M25-K68 SKS

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Technical data

### Dimensions and weights

Length	132.5 mm	Length (inches)	5.217 inch
Net weight	18.08 g		

### Certificate numbers cable gland

Certificate no. cable gland (cULus)	E140310
-------------------------------------	---------

### General information

Material	Polyamide 6	Cable glands	metric
External thread	M 25	Pitch of thread	1.5 mm
Length of thread	15 mm	AF size 1	33 mm
Protection degree	IP68 - 5 bar (30 min.)	Operating temperature range, min.	-20 °C
Operating temperature range, max.	100 °C	Outer cable diameter, min.	13 mm
Outer cable diameter, max.	18 mm	UL 94 flammability rating	V-2
Halogen	Yes	Seal insert	CR
Tightening torque	3.5 Nm	Torque for cap nut, min.	7 Nm
Torque for cap nut, max.	9 Nm	Torque for connecting adapter, min.	2 Nm
Torque for connecting adapter, max.	5 Nm		

### Classifications

ETIM 6.0	EC000441	ETIM 7.0	EC000441
eClass 9.0	27-14-44-32	eClass 9.1	27-14-44-32
eClass 10.0	27-14-44-32	UNSPSC	30-21-18-01

### Approvals

Approvals



ROHS Conform

### Downloads

Brochure/Catalogue	<a href="#">CAT 3 HDC 17/18 EN</a> <a href="#">CAT 5 ENCL 17/18 EN</a>
Engineering Data	<a href="#">EPLAN_WSCAD</a>