

178125-1 ✓ ACTIVE

AMP Universal Power


TE Internal #: 178125-1

Rectangular Power Connectors, Housing, Plug, Wire-to-Board /  
Wire-to-Wire, 2 Position, 7.92 mm [.312 in] Centerline, Wire &  
Cable, AMP Universal Power

[View on TE.com >](#)



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Plug**

Connector System: **Wire-to-Board, Wire-to-Wire**

Number of Positions: **2**

Centerline (Pitch): **7.92 mm [.312 in]**

### Features

#### Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

#### Configuration Features

Number of Positions	2
Number of Power Positions	0
Number of Signal Positions	0
Number of Rows	1

#### Electrical Characteristics

Insulation Resistance	1000 MΩ
Operating Voltage	300 VAC

#### Contact Features



Contact Layout	Inline
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	7 A
Contact Retention Within Housing	Without
Contact Type	Receptacle

### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

### Mechanical Attachment

Strain Relief	Without
Mating Alignment Type	Polarization
Mating Retention	With
Mating Alignment	With
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Latch
Connector Mounting Type	Cable Mount (Free-Hanging)

### Housing Features

Centerline (Pitch)	7.92 mm [.312 in]
Housing Color	Natural
Housing Material	Nylon 6/6

### Dimensions

Connector Height	7 mm [.28 in]
Product Length	19.3 mm [.76 in]

### Usage Conditions

Operating Temperature Range	-30 – 105 °C [-22 – 221 °F]
-----------------------------	-----------------------------

### Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

### Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

### Packaging Features

--	--

Packaging Quantity	1000
--------------------	------

Packaging Method	Bag
------------------	-----

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
--	---


Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---




Solder Process Capability	Not applicable for solder process capability
---------------------------	--

### Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts





Also in the Series | AMP Universal Power



Customers Also Bought



TE Part #179939-1  
POWER D/LOCK PLUG HSG 4P /6.5




TE Part #170376-2  
EI-SRS COSI CONTACT



TE Part #42563-8  
250 FASTON FLAG REC 12-10 AWG  
TPBZ



TE Part #175152-1  
UNIVERSAL POWER REC



TE Part #170032-5  
250 FASTON,REC.,20-14 AWG,TPBR



TE Part #41802  
250 FASTON FLAG REC 18-12 AWG  
TPBR



TE Part #1-1747145-5  
DZ5200 H-HDR ASSY 5P 5.08MM  
PITCH



TE Part #176293-1  
UNIV POWER CAP HSG 3P P/MOUNT



TE Part #175152-2  
AMP UNIVE. POWER CONN REC  
CONT

## Documents

### Product Drawings

[U/POWER PLUG HSG 2P 7.92M/M](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_178125-1\\_G.2d\\_dxf.zip](#)

English

### 3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_178125-1\\_G.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_178125-1\\_G.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

## Product Specifications



### [Crimping of Universal Power Contact](#)

English

### [Product Specification](#)

Japanese

### [AMP Universal Power Connector](#)

Japanese

---

### [Product Environmental Compliance](#)

[MD\\_178125-1\\_051620181230\\_dmtec](#)

English

[MD\\_178125-1\\_051620181230\\_dmtec](#)

English

---

### [Instruction Sheets](#)

[AMP UNIVERSAL POWER CONNECTOR SERIES](#)

English

[Instruction Sheet \(non U.S.\)](#)

English

---

### [Agency Approvals](#)

[UL Report](#)

English