



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover Assembly**

Strain Relief: **Without**

Primary Product Color: **Blue**

Primary Product Material: **PBT GF**

Number of Positions: **26**

Features

Product Type Features

Sealable	Yes
Protection & Strain Relief Accessory Type	Cover Assembly

Configuration Features

Number of Positions	26
---------------------	----

Body Features

Primary Product Color	Blue
Primary Product Material	PBT GF

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]

Packaging Features

Packaging Quantity	800
Packaging Method	Box

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-SIGH262 Signal Header</p>	 <p>TE Part # 185454-1 26W MQS HDR ASSY FOR SMT</p>	 <p>TE Part # 144933-1 LEVER FOR MQS</p>	 <p>TE Part # 185876-2 26W MQS COVER 90 BLUE</p>
--	--	---	---

Customers Also Bought

 <p>TE Part #1-1718492-4 1.5MM TAB HSG 36 POS ASSY</p>	 <p>TE Part #4-968972-1 MCP2,8 GEH ASSY 12P</p>	 <p>TE Part #HD16-9-96SE PLUG ASM</p>	 <p>TE Part #100284-1 2P.4MM SOCK.ASS.M27</p>
---	--	--	--



Documents

Product Drawings

26W MQS COVER ASSY BLUE

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_185879-2_O.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_185879-2_O.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_185879-2_O.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English