


1939115-1 Product Details



1939115-1

TE Internal Number: 1939115-1

 Active

 [View 3D PDF](#)

Removable Memory Products

 [Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Format = Secure Digital Card
- Polarizing Post Length = .55 mm
- Lead Type = Surface Mount - Inline leads
- Operating Function = Push-On Push-Off
- Right Angle Mount Angle

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

 [Add to My Part List](#)
 [Request Sample](#)
 [Find Similar Products](#)
 [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [SD MEMORY CARD CONNECTOR PUSH PUSH TYPE \(PDF, Japanese\)](#)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version C)
- [3D Model](#) (IGES, Version C)
- [3D Model](#) (STEP, Version C)

[List all Documents](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Mount Angle = Right Angle
- PCB Mount Style = Surface Mount
- Holddowns = With

Mechanical Attachment:

- Mounting Style = Top (Printed Circuit Board)

Termination Related Features:

- Solder Tail Contact Plating = Tin

Body Related Features:

- Polarizing Post Length (mm [in]) = 0.55 [0.022]
- Lead Type = Surface Mount - Inline leads

Contact Related Features:

- Contact Plating, Mating Area, Material = Gold
- Contact Base Material = Copper Alloy

Housing Related Features:

- Housing Color = Black
- Housing Material = High Temperature Thermoplastic
- UL Flammability Rating = UL 94V-0

Configuration Related Features:

- Operating Function = Push-On Push-Off

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Reflow solder capable to 245°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- Format = Secure Digital Card

Packaging Related Features:

- Packaging Method = Tape & Reel

Other:

- Brand = AMP
- Comment = Reverse Flow - Possible.

 [BOOKMARK](#) 

Corporate Information

[Who We Are](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)

Quick Links

[Check Distributor Inventory](#)
[Cross Reference](#)
[Find Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support

[Email or Chat with Us](#)
[Find a Phone Number](#)
[Search Knowledge Base](#)
[Manage Your Account](#)

Sign up for our eNewsletter

Enter your email address

Follow Us On:



Visit Us On:

