

PROCAP8



TE Connectivity has acquired the DIN Rail Terminal Block product range from ABB

Products → Low Voltage Products and Systems → Connection Devices → Markers and Marking Systems
→ Terminal Block Markers

General Information

Extended Product Type:	PROCAP8
Product ID:	1SNK900613R0000
EAN:	3472599097445
Catalog Description:	PROCAP8 Protecting cap for SAT8 labels
Long Description:	- Easily protect your Self Adhesive sTrip SAT, - Quickly put it on the terminal blocks: PROCAP delivered in strip of 10 parts

Ordering

Color:	Transparent
---------------	-------------

Minimum Order Quantity:	20 piece
--------------------------------	----------

Customs Tariff Number:	39269097
-------------------------------	----------

Popular Downloads

Data Sheet, Technical Information:	1SNK160013D0201
---	-----------------

Instructions and Manuals:	1SNK160027C0205
----------------------------------	-----------------

Dimensions

Product Net Width:	8 mm
---------------------------	------

Product Net Height:	12 mm
----------------------------	-------

Product Net Length:	2.4 mm
----------------------------	--------

Product Net Depth / Length:	2.4 mm
------------------------------------	--------

Product Net Weight:	1 g
----------------------------	-----

Technical

Spacing:	8 mm
-----------------	------

Function:	Protecting cap
------------------	----------------

Pollution Degree:	3
--------------------------	---

Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
------------------------------	--

Insulation Material:	Polycarbonate
-----------------------------	---------------

Suitable For:

BAM4
D35/16.PEN.2L
ZK10
ZK10-PE
ZK16
ZK16-PE
ZK6
ZK6-3P
ZK6-PE
ZK6-PE-3P
ZS10
ZS10-PE
ZS10-S
ZS10-SP
ZS16
ZS16-PE
ZS25
ZS25-PE
ZS35
ZS35-PE
ZS35-PEN
ZS4-D2-SF1
ZS4-D2-SF1-R
ZS4-R1
ZS4-SF1
ZS4-SF1-R
ZS4-SF1-T
ZS4-S-R3
ZS50
ZS50-PE
ZS70
ZS70-PE
ZS95
ZS95-PE

Technical UL/CSA

Flammability According to UL94: V0

Environmental

Ambient Air Temperature: Operation -55 ... +110 °C
Storage -55 ... +110 °C

Resistance to Vibrations acc. to IEC 60068-2-6: Compliant

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SND225156C1000

Environmental Information: 1SND220061E1000

Instructions and Manuals: 1SNK160027C0205

RoHS Information: 1SND230504F0204

Classifications

Object Classification Code: X

E-nummer: 2967976

ETIM 4: EC000761 - Labelling for terminal block

ETIM 5: EC000761 - Labelling for terminal block

ETIM 6: EC000761 - Labelling for terminal block

Container Information

Package Level 1 Units: 20 piece

Package Level 1 Width: 158 mm

Package Level 1 Depth / Length: 243 mm

Package Level 1 Gross Weight: 0.02 kg

Package Level 1 EAN: 3472599097445

Package Level 2 Units: 10000 piece

Package Level 3 Units: 320000 piece

Product Packing Type: Bag

