



Part Number : [1200652383](#)

Product Description : Brad Safety Micro-Change (M12) Single-Ended Cordset, 8 Poles, A-Coded, Male (Straight) to Pigtail, 0.25mm² WSOR Cable, 1.0m (3.28') Length

Series Number : 120065

Status : Active

Product Category : Circular Industrial Cordsets

Engineering Number : 808006B41M010R



Documents & Resources

Drawings

[1200652383_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Circular Industrial Cordsets
Series	120065
Description	Brad Safety Micro-Change (M12) Single-Ended Cordset, 8 Poles, A-Coded, Male (Straight) to Pigtail, 0.25mm ² WSOR Cable, 1.0m (3.28') Length
IP Rating	IP67
Product Name	Brad Safety, Micro-Change (M12)
Type	Single Ended
UPC	889056562348

Electrical

Current - Maximum per Contact	2.0A
Voltage - Maximum	30V AC/DC

Physical

Cable Diameter	6.40mm (.252")
Cable Length	1.0m (3.28')
Color - Cable Jacket	Black
Connector End A	Micro-Change (M12)
Connector End B	Pigtail
Coupling Style	Threaded
Gender	Male-Pigtail
Keyway	A-Coded
LED Indicator	No
Material - Cable Jacket	PUR
Material - Connector Body	TPU
Material - Contact	Brass
Material - Coupling Nut	Nickel-plated Brass
Material - Plating Mating	Gold

Net Weight	71.543/g
Orientation	Straight to Pigtail
Poles	8
Temperature Range - Operating	-40° to +90°C
Wire/Cable Type	WSOR
Wire Size (AWG)	24

This document was generated on Feb 13, 2025