

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [2029361000](#)
Status: **Active**
Overview: [MultiCat Power Connectors with Precision-Machined Contacts](#)
Description: MultiCat Mid-Power Crimp Terminal, Female, 0.20µm Gold Plating, 20-24 AWG, without Sleeve

Documents:

Drawing (PDF)	Test Summary 2059250000-TS-000 (PDF)
Product Specification 2059250000-PS-000 (PDF)	Datasheet (PDF)
Application Specification 2059250000-AS-000 (PDF)	RoHS Certificate of Compliance (PDF)
Packaging Specification 2029350000-PK-000 (PDF)	



Series image - Reference only

General

Product Family	Crimp Terminals
Series	202936
Application	Power, Wire-to-Board, Wire-to-Wire
Crimp Quality Equipment	Yes
Overview	MultiCat Power Connectors with Precision-Machined Contacts
Product Name	MultiCat
UPC	193264027026

Physical

Durability (mating cycles max)	500
Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Net Weight	0.220/g
Packaging Type	Bag
Plating min - Mating	0.200µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.20-1.60mm
Wire Size AWG	20, 22, 24
Wire Size mm ²	N/A

Electrical

Current - Maximum per Contact	6.5A
Voltage - Maximum	500V AC/DC

Material Info

Reference - Drawing Numbers

Application Specification	2059250000-AS-000
Packaging Specification	2029350000-PK-000
Product Specification	2059250000-PS-000
Sales Drawing	2029360000-SD-000
Test Summary	2059250000-TS-000

EU ELV

Not Relevant

EU RoHS

Compliant with Exemption 6(c)

REACH SVHC

Contained Per -
D(2020)4578-DC (25 June 2020)
di-n-pentyl phthalate (DPP)
perfluorooctanoic acid disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)diisopentylphthalate
1,2-diethoxyethane
dibutyltin dichloride
1,3-propanesultone
ammoniumpentadecafluorooctanoate
2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-b
1,2-Benzenedicarboxylic acid, dihexyl ester, bra
diisohexyl phthalate
1,2-benzenedicarboxylic acid, dipentylester, bra
n-pentyl-isopentylphthalate
Boric acid
Nonadecafluorodecanoic acid (PFDA) and its sodiu
Tris(4-nonylphenyl, branched and linear) phosphi

China RoHS

Pyrene
Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o
Perfluorononan-1-
oic acid
(2,2,3,3,4,4,5,5,6,6,7
Methylhexahydrophthalic
anhydride
reaction mass of
2-ethylhexyl 10-
ethyl-4,4-dioct
Perfluorohexane-1-
sulphonic acid and its
salts
ethylene thiourea
Lead sulfochromate
yellow
strontium chromate
bis(2-methoxyethyl)
ether
pentazinc chromate
octahydroxide
1,2-dimethoxyethane
1,2-bis(2-
methoxyethoxy)ethane
bis(pentabromophenyl)
ether
cadmium oxide (non-
pyrophoric)
cadmium sulphide
orange lead
lead
cadmium
lead dinitrate
lead oxide sulfate
pentalead tetraoxide
sulphate
dioxobis(stearato)trilead
Lead titanium
zirconium oxide
lead cyanamidate
Sulfurous acid, lead
salt, dibasic
[phthalato(2-)]dioxotrilead
benzo[a]pyrene
4-aminoazobenzene
dihexyl phthalate
(DnHP)

**Halogen-Free
Status**

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS	50 Image
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

[202936](#) Series

Use With

MultiCat Mid-Power Receptacle Housing
[205926](#)

Application Tooling | [FAQ](#)

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description **Product #**

Hand Crimp Tool for MultiCat Machined Mid-Power Contact, 20-28 AWG	2002185300
Insertion/Extraction Tool for MultiCat Mid-Power Crimp Terminals, 20-28 AWG	2002220300

This document was generated on 10/27/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION