



**RAYCHEM**

TE Internal #: 808194-000


Heat Shrink Boots, Straight, Size 202, Lipped, 4, 10, Adhesive

Precoat Adhesive Requirement, -55 – 135 °C [-67 – 275 °F],

Occasional Fluid Exposure

[View on TE.com >](#)

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Bulbous Heat Shrink Boots: Lipped, Straight



Body Orientation: **Straight**

Molded Part Shape Code: **202**

Lipped: **Yes**

Material Code: **4**

Material Systems Code: **10**

[All Bulbous Heat Shrink Boots: Lipped, Straight \(411\)](#)

**Features**

**Configuration Features**

Lipped	Yes
Adhesive Requirement	Adhesive Precoat

**Body Features**

Primary Product Material	Polyolefin Flexible Modified
Material Code	4
Material Systems Code	10

**Housing Features**

Body Orientation	Straight
------------------	----------

**Dimensions**

Compatible Cable Diameter (Max)	10 mm, 11 mm, 6 mm, 7 mm, 8 mm, 9 mm[.23 in][.27 in][.314 in][.35 in][.39 in][.43 in]
Compatible Cable Diameter Range	5.6 – 12.4 mm[.22 – .488 in]

**Usage Conditions**

Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Resistance Protection	Occasional Fluid Exposure

**Industry Standards**

--	--

Compatible With Approved Standards Products

SAE AS I 81765/1, Type II, UL 224, File E85381

### Other

Molded Part Shape Code

202

Adhesive Code

42

### Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)  
 Candidate List Declared Against: JUNE 2023 (235)  
 Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl &gt; 900 ppm.


Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Customers Also Bought



TE Part #808381-000  
202D132-4/42-0



TE Part #1062-12-0144  
SOC, SF, SIZE 12, 12-14, AU/SN



TE Part #1-1418448-1  
3 POS. AMP MCP1.5k REC.HSG CO



TE Part #YDTS26W15-05SNV001  
PLUG ASSY



## Documents

### Product Drawings

[202D121-4/42-0](#)

English

### Datasheets & Catalog Pages

[1654025\\_Sec4\\_-4](#)

English

[Raychem Molded Parts Visual Guide](#)

English

### Product Specifications

[Product Specification](#)

English