



RAYCHEM


TE Internal #: 510715-000

Heat Shrink Boots, Straight, Size 202, Lipped, 25, 25, Adhesive

Precoat Adhesive Requirement, -75 – 150 °C [-103 – 302 °F]

[View on TE.com >](#)

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Low Profile Heat Shrink Boots: Poly Molded, Lipped, Straight



Body Orientation: **Straight**

Molded Part Shape Code: **202**

Lipped: **Yes**

Material Code: **25**

Material Systems Code: **25**

[All Low Profile Heat Shrink Boots: Poly Molded, Lipped, Straight \(150\)](#)

## Features

### Configuration Features

|                      |                  |
|----------------------|------------------|
| Lipped               | Yes              |
| Adhesive Requirement | Adhesive Precoat |

### Body Features

|                          |                                    |
|--------------------------|------------------------------------|
| Primary Product Material | Fluid Resistant Modified Elastomer |
| Material Code            | 25                                 |
| Material Systems Code    | 25                                 |

### Housing Features

|                  |          |
|------------------|----------|
| Body Orientation | Straight |
|------------------|----------|

### Dimensions

|                                 |  |
|---------------------------------|--|
| Compatible Cable Diameter (Max) | 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 14 mm [.314 in][.35 in][.39 in][.43 in][.47 in][.55 in] |
| Compatible Cable Diameter Range | 7.4 – 16 mm [7.4 – 17 in]  |

### Usage Conditions

|                             |   |
|-----------------------------|---|
| Operating Temperature Range | -75 – 150 °C [-103 – 302 °F]                  |
| Resistance Protection       | Long-Term Fluid Exposure at High Temperatures |

### Industry Standards

|  |  |
|--|--|
|  |  |
|--|--|



|   |  |
|---|--|
| Compatible With Approved Standards Products | BS-G-198-5-DE, DEF Std 59-97 Issue 3 Type DE, IEC 62329-3-102, MIS-34867 |
|---|--|

**Other**

|                        |     |
|------------------------|-----|
| Molded Part Shape Code | 202 |
| Adhesive Code          | 225 |

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

|   |  |
|---|--|
| EU RoHS Directive 2011/65/EU                  | Compliant  |
| EU ELV Directive 2000/53/EC                   | Compliant  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.   |
| Solder Process Capability                     | Not applicable for solder process capability   |

**Product Compliance Disclaimer**

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Customers Also Bought**



TE Part #925663-1  
.140 DIA SOCKET



TE Part #38943-16L  
CONT SOC ASSY



TE Part #38946-16L  
CONT SOC ASSY



TE Part #100503L  
CONT SOC ASSY



TE Part #12333-12  
CONT SOC ASSY



TE Part #1394050-2  
COVER F.21P REC-HSG



TE Part #2-1564530-1  
15POS, MIXED, TAB HSG, ASSY



TE Part #EB1UM-00001V-300PA  
PRESS XDCR EB1UM-00001V-300PA



TE Part #323172  
TERM, STRAT, SOLIS, RT, HR, 6, 3/8



TE Part #2-1617805-5  
TD228-5000P=TDFO .5 SEC M83726 /28-5000P

## Documents

### Product Drawings

[202D221-25/225-0](#)

English

### Datasheets & Catalog Pages

[1654025\\_Sec4\\_-25](#)

English

### Raychem Molded Parts Visual Guide

English

### Product Specifications

[Product Specification](#)

English