

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [2035112110](#)  
**Status:** **Active**  
**Overview:** [MX64 Sealed Connectors](#)  
**Description:** 2.54mm MX64 Sealed Single Row Crimp Housing for LED Light Modules, MX64 Terminal, Black, 2 Circuits, Key A, without CPA Lock

**Documents:**

[3D Model](#) [Application Specification 2035110001-AS-000 \(PDF\)](#)  
[3D Model \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Drawing \(PDF\)](#) [Product Literature \(PDF\)](#)

**General**

Product Family [Crimp Housings](#)  
Series [203511](#)  
Application [Power, Wire-to-Board](#)  
More Detailed Tech Information <http://uscar.org/guest/teams/10/Electrical-Wiring-Component-Applications-Partnership>  
Overview [MX64 Sealed Connectors](#)  
Polarization [A](#)  
Product Name [MX64](#)  
UPC [191128232319](#)

**Physical**

Circuits (maximum) [2](#)  
Color - Resin [Black](#)  
Gender [Receptacle](#)  
Glow-Wire Capable [No](#)  
Keying to Mating Part [Yes](#)  
Lock to Mating Part [Yes](#)  
Material - Resin [PBT](#)  
Net Weight [4.330/g](#)  
Number of Rows [1](#)  
Packaging Type [Bag](#)  
Panel Mount [No](#)  
Pitch - Mating Interface [2.54mm](#)  
Polarized to Mating Part [Yes](#)  
Temperature Range - Operating [-40° to +125°C](#)

**Material Info**

**Reference - Drawing Numbers**

Application Specification [2035110001-AS-000](#)  
Sales Drawing [2035110001-000](#)



**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2020)4578-DC (25  
June 2020)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Compliant

Not Contained

**Search Parts in this Series**

[203511 Series](#)

**Mates With**

LED Modules, Other USCAR Interfaces

**Use With**

Molex MX64 Terminals [33468](#)