

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [2072638236](#)
Status: **Active**
Overview: [Sliver Edge Card Connector and Cable Assemblies](#)
Description: 0.60mm Pitch Sliver Edge Card Connector, Straddle-Mount, 32 Gbps, 2.36mm PCB Thickness, 4C+, 168 Circuits, with Metal Key

Documents:

[3D Model](#) [Packaging Specification 2072630236-PS-000 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[3D Model \(PDF\)](#)

General

Product Family	Edge Card Connectors
Series	207263
Component Type	Edgecard to PCB
Data Rate	32.0 Gbps
Edge Card Thickness	1.57mm
High Power Bay (30.0A or more)	No
Orientation	Straddle-Mount
Overview	Sliver Edge Card Connector and Cable Assemblies
Product Name	Sliver
Standard Based	General
UPC	191130504268

Physical

(p)ower-(s)ignal Configuration	168s - 0p
Circuit Size Range	201-294 Circuits
Circuits (Loaded)	168
Color - Resin	Black
Durability (mating cycles max)	200
Keying to Mating Part	Yes
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Matte Tin
Material - Resin	Liquid Crystal Polymer
Net Weight	5.620/g
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness - Recommended	2.36mm
Packaging Type	Tray
Pitch - Mating Interface	0.60mm
Plating min - Mating	0.762µm
Plating min - Termination	2.540µm
Temperature Range - Operating	-55° to +85°C
Termination Interface: Style	Surface Mount


Electrical

Current - Maximum per Contact	1.1A
Voltage - Maximum	29V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Packaging Specification	2072630236-PS-000
Sales Drawing	2072630001-000



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2020)4578-DC (25
June 2020)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[207263 Series](#)

This document was generated on 09/23/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION