

PACKAGING PROCESS SHEET

STANDARD PACKAGING PROCESS FOR CATALOG NBR 207847-1 00 CURRENT

UM PC ORG CODE 0G30 PROD CDE M151

SUPPLIER MFG DATE 03/30/91

COUNTRY CODE US

TRADEMARK NM ECONOSEAL

STANDARD QUANTITY - 25

DESCRIPTION CIRCULAR SEALED CONNECTOR

STANDARD LEVEL - 200

PRODUCT DESC PLUG, 5 POS ECONOSEAL

MARKING UR

PRODUCT & APPROVAL LAST CHANGED: 05/06/10 REASON FOR CHG PALI MASS CHANGE

SPEC/PKG CODE INFO LAST CHANGED: 10/19/94 PACKAGING REV R

SPEC. TO REF. REV. DESCRIPTION

```

=====
102-00060    K    CAGE Codes and Date Coding
107-01338    A    Connectors, Circular Sealed, Econo
                    eal
    
```

UNIT PACKAGING DESCRIBED BELOW:

PLC 200  
LAST CHANGED: 08/21/98

```

PACKAGE QUANTITY      25
INSTRUCTION           | LBL FORMATS   COMP PN DATA
SHEET REQ.           | REQUIRED       USED FOR LBL
=====             | =====
                    | 995151-1
                    | 999287-1
    
```

PKG MTL REQUIRED	PKG MTL DESCRIPTION	PKG MTL QUANTITY	PKG MTL U/M
10411-2	LABEL STOCK(STANDARD NO PRINT)	1.0000000	PC
995250-4	BAG, FLAT, ANTISTATIC	1.0000000	PC
999585-1	LABEL STOCK	1.0000000	PC

OPERATION DESCRIPTION

```

=====
PLACE ASSEMBLIES IN BAG.
HEAT SEAL TO CLOSE.
PLACE LABEL ON BAG.
ALT LBL FMT 995151-1 AND LBL STOCK 10411-2 CAN BE USED
INSTEAD OF LBL FMT 999287-1 AND LBL STOCK 999585-1
    
```

INTERMEDIATE PACKAGING DESCRIBED BELOW:

PLC 300  
LAST CHANGED: 08/21/98

```

PACKAGE QUANTITY      225
INSTRUCTION           | LBL FORMATS   COMP PN DATA
SHEET REQ.           | REQUIRED       USED FOR LBL
=====             | =====
408-07900           | 995151-1
                    | 999287-1
    
```

PKG MTL REQUIRED	PKG MTL DESCRIPTION	PKG MTL QUANTITY	PKG MTL U/M
10082-1	SHEETING, POLYETHYLENE	2.0000000	FT

PACKAGING PROCESS SHEET

STANDARD PACKAGING PROCESS FOR CATALOG NBR 207847-1 00 CURRENT

UM PC ORG CODE 0G30 PROD CDE M151

SUPPLIER MFG DATE 03/30/91

COUNTRY CODE US TRADEMARK NM ECONOSEAL

STANDARD QUANTITY - 25 DESCRIPTION CIRCULAR SEALED CONNECTOR

STANDARD LEVEL - 200 PRODUCT DESC PLUG, 5 POS ECONOSEAL

INTERMEDIATE PACKAGING DESCRIBED BELOW: PLC 300

LAST CHANGED: 08/21/98

PACKAGE QUANTITY	225		
PKG MTL REQUIRED	PKG MTL DESCRIPTION	PKG MTL QUANTITY	PKG MTL U/M
10411-2	LABEL STOCK(STANDARD NO PRINT)	1.0000000	PC
12011	CARTON, FOLDING	1.0000000	PC
999585-1	LABEL STOCK	1.0000000	PC

OPERATION DESCRIPTION

SET UP CARTON & PLACE ATTACHED PAD IN BOTTOM OF CARTON.  
 PLACE BAGS INTO CARTON.  
 FILL VOIDS WITH CUSHIONING.  
 PLACE IS SHEET IN CARTON.  
 CLOSE LID.  
 PLACE LABEL ON CARTON.  
 ALT LBL FMT 995151-1 AND LBL STOCK 10411-2 CAN BE USED  
 INSTEAD OF LBL FMT 999287-1 AND LBL STOCK 999585-1

SHIPPER PACKAGING DESCRIBED BELOW:

PLC 400  
 LAST CHANGED: 01/24/00

PACKAGE QUANTITY	450		
INSTRUCTION SHEET REQD.	LBL FORMATS REQUIRED	COMP PN DATA USED FOR LBL	
	999102-1		
PKG MTL REQUIRED	PKG MTL DESCRIPTION	PKG MTL QUANTITY	PKG MTL U/M
12120	BOX, CORR, RSC	1.0000000	PC
995575-2	TAPE, PACKAGING, TRANSPARENT	AS REQD	MR
999077-1	STOCK, LABEL	1.0000000	PC
999103-1	LABEL STOCK	1.0000000	PC
999264-1	LABEL STOCK	1.0000000	PC

OPERATION DESCRIPTION

SET UP BOX AND SECURE BOTTOM WITH TAPE.  
 PLACE PREPACKAGED ASSEMBLIES INTO BOX.  
 CLOSE BOX AND SECURE WITH TAPE.  
 PLACE LABEL ON BOX.  
 ALTERNATE LABEL FORMAT 995293-1 AND LABEL STOCK  
 ...995144-1 CAN BE SUBSTITUTED FOR LABEL FORMAT  
 ...999102-1 AND LABEL STOCK 999103-1.

PACKAGING PROCESS SHEET

STANDARD PACKAGING PROCESS FOR CATALOG NBR 207847-1 00 CURRENT

UM PC ORG CODE 0G30 PROD CDE M151

SUPPLIER MFG DATE 03/30/91

COUNTRY CODE US TRADEMARK NM ECONOSEAL

STANDARD QUANTITY - 25 DESCRIPTION CIRCULAR SEALED CONNECTOR

STANDARD LEVEL - 200 PRODUCT DESC PLUG, 5 POS ECONOSEAL

SHIPPER PACKAGING DESCRIBED BELOW: PLC 400

LAST CHANGED: 01/24/00

PACKAGE QUANTITY 450

OPERATION DESCRIPTION

=====

PLACE PRODUCT LABEL IN LOWER LEFT CORNER OF  
... END PANEL MARKED WITH PN

=====

BREAKDOWN PACKAGING DESCRIBED BELOW:

PLC 600

FOR ALL BREAKDOWNS

LAST CHANGED: 02/01/90

PACKAGE QUANTITY

INSTRUCTION	LBL FORMATS	COMP PN DATA
SHEET REQD.	REQUIRED	USED FOR LBL
=====	=====	=====
408-07900		

408-07900