

Data Sheet | Item Number: 211-861

Conductor markers for thread-on mounting; for Smart Printer; 5 x 10.5 mm; white



<https://www.wago.com/211-861>



Color: ■ white

Similar to illustration

Technical data

Suitable	for wire cross-section 0.75 ... 1.5 mm ²
Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	1000 pcs/reel; 3 lines
Printing device	Smart Printer (thermal transfer printer)

Physical data

Depth	0.22 mm
Marking surface	5 x 23 mm
Sheathed cable diameter	2.3 ... 2.8 mm

Mechanical data

Mounting type	Sliding on conductor
Smear resistance	in conjunction with 258-5005 Ink Ribbon

Material data

Color	white
Material	Polyester
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	without adhesive
Halogen-free	Yes
Weight	165 g
Fire load	0 MJ

Environmental requirements	
Ambient temperature (operation)	-40 ... +150 °C
Relative humidity	40 ... 50 %

Commercial data	
Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-06-29
ETIM 8.0	EC001530
ETIM 7.0	EC001530
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821688655
Customs tariff number	39269097900

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 211-861	↓

Documentation

Operating Instructions			
211-861 Information on printing material	1	pdf	1244.38 KB
	28.08.2020		↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Marking

1.1.1.1 Marking devices



Item No.: 258-5000
 Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

Installation Notes

Application



Conductor marker for thread-on mounting