



Search by part # or keyword

[Products](#)

[Industries & Solutions](#)

[Resources](#)

[Shop TE](#)

[Sign In](#)



Purchase items directly from TE.com

[Connectors](#) > [Pluggable IO Connectors & Cages](#) > [CFP/CFP2/CFP4](#)

# 2149151-1

CFP, CFP/CFP2/CFP4, Accessory, Port Matrix Configuration 1 x 1, Data Rate (Max) 100 Gb/s



CFP

TE Internal #: **2149151-1**

TE Internal Description: **EMI/Dust Cover, CFP**

Pluggable I/O Product Type : **Accessory**

Port Matrix Configuration : **1 x 1**

Data Rate (Max) (Gb/s): **100**

[Digital Datasheet](#)

[Compatible Parts & Tooling](#)



### We are here to help!

Get in touch with our product experts.



[CHAT WITH US](#)



[EMAIL US](#)



[CALL US](#)

#### Documents

#### Features

#### Product Compliance

##### Product Drawings

EMI/Dust Cover, CFP

[EMI/Dust Cover, CFP](#)

English

##### CAD Files

3D PDF

[3D\\_CVM\\_CVM\\_2149151-1\\_A.pdf](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2149151-1\\_A.2d\\_dxf.zip](#)

English

[ENG\\_CVM\\_CVM\\_2149151-1\\_A.3d\\_igs.zip](#)

English

[ENG\\_CVM\\_CVM\\_2149151-1\\_A.3d\\_stp.zip](#)

English

##### Product Specifications

Application Specification

[ENG\\_SS\\_114-13263\\_E.pdf](#)

English

Product Specification

[ENG\\_SS\\_108-2399\\_A.pdf](#)

English

Qualification Test Report

[ENG\\_SS\\_501-737\\_A.pdf](#)

English

<p>Product Environmental Compliance</p>	<p>MD_2149151-1_0824201702_dmtec</p> <p><a href="#">ENG_PC_MD_2149151-1_BA(055782).xlsx</a></p> <p>English</p> <p>MD_2149151-1_0824201702_dmtec</p> <p><a href="#">ENG_PC_MD_2149151-1_BA(091795).xml</a></p> <p>English</p>
<p>Instruction Sheets</p>	<p>Instruction Sheet (U.S.)</p> <p><a href="#">ENG_SS_408-10302_D.pdf</a></p> <p>English</p>
<p>Please review product documents or <a href="#">contact us</a> for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.</p>	
<p>Product Type Features</p>	<p>Pluggable I/O Product Type : <b>Accessory</b></p> <p>Pluggable I/O Accessory Type : <b>Dust &amp; EMI Cover</b></p> <p>Form Factor : <b>CFP</b></p>
<p>Configuration Features</p>	<p>Port Matrix Configuration : <b>1 x 1</b></p>
<p>Electrical Characteristics</p>	<p>Data Rate (Max) (Gb/s): <b>100</b></p>
<p>Dimensions</p>	<p>PCB Thickness (Recommended) : <b>2 mm [ .079 in ]</b></p>
<p>Operation/Application For Use With Pluggable I/O Products : <b>CFP Assembly</b></p>	
<p>Packaging Features</p>	<p>Packaging Method : <b>Box &amp; Tray, Package</b></p>
<p>Statement of Compliance</p>	<p><a href="#">Statement of Compliance pdf</a></p>

Also in the Series | [CFP](#)



[ABOUT TE CONNECTIVITY](#)

[FOR PARTNERS](#)

[SUPPORT](#)

[CALL US](#)

[LIVE CHAT](#)

[UNITED STATES \(EN\)](#)